

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
10327T	Phospho-IRF-3 (Ser396) (D6O1M) Rabbit mAb (Alexa Fluor® 647 Conjugate)	20 ul	(H) (M)	F
11818T	Phospho-Acetyl-CoA Carboxylase (Ser79) (D7D11) Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC
11904T	IRF-3 (D6I4C) XP Rabbit mAb	20 ul	(H) (Mk)	W IP IF-IC
11940T	Cytochrome c (D18C7) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
11948T	TNF-a (D2D4) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	W F IP IF-IC
11954T	DLST (D22B1) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
11966T	BRM (D9E8B) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IP IF-IC ChIP
11976T	Neuropeptide Y (D7Y5A) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-IC IF-F
11998T	SDHA (D6J9M) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	IHC-P W IP IF-IC
12041T	Glucocorticoid Receptor (D6H2L) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC ChIP ChIP-seq
12105T	Bak (D4E4) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
12120T	Bcl-11B (D6F1) XP Rabbit mAb	20 ul	(H)	W IP IF-IC ChIP ChIP-seq
12165T	HSP60 (D6F1) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (X) (Z) (B) (Pg)	IHC-P W F IF-IC
12202T	Ki-67 (D3B5) Rabbit mAb (Mouse Preferred; IHC Formulated)	20 ul	(M)	IHC-P
12231T	Cyclin B1 (D5C10) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC
12238T	Calreticulin (D3E6) XP Rabbit mAb	20 ul	(H) (M)	W F IF-IC
12276T	Toll-like Receptor 2 (D7G9Z) Rabbit mAb	20 ul	(H)	W IP
12282T	Cox2 (D5H5) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC
12286T	Topoisomerase IIa (D10G9) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IF-IC
12290T	RCAS1 (D2B6N) XP Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC
12295T	FXR1 (D10A2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC
12302T	Phospho-Chk1 (Ser317) (D12H3) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
12345T	ERCC1 (D6G6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
12389T	GFAP (D1F4Q) XP Rabbit mAb	20 ul	(H) (M)	W IF-F
12450T	Puma (D30C10) Rabbit mAb	20 ul	(H)	W IP
12456T	GSK-3B (D5C5Z) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
12480T	GM130 (D6B1) XP Rabbit mAb	20 ul	(H) (Mk)	W IP IF-IC
12503T	Caldesmon-1 (D5C8D) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
12509T	Keratin 17 (D12E5) XP Rabbit mAb	20 ul	(H) (M)	W F IF-IC
12571T	Phospho-p53 (Ser15) (D4S1H) Rabbit mAb (Rodent Specific)	20 ul	(M)	W IP
12653T	FoxP3 (D6O8R) Rabbit mAb	20 ul	(M)	IHC-P F IF-F IHC-Bond
12698T	His-Tag (D3I1O) XP Rabbit mAb	20 ul	(All)	W F IP IF-IC ChIP
12701T	XPC Antibody	20 ul	(H)	W
12708T	HER3/ErbB3 (D22C5) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC
12709T	PAX5 (D7H5X) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC
12716T	Phospho-CaMKII (Thr286) (D21E4) Rabbit mAb	20 ul	(H) (M)	W
12721T	NRF2 (D1Z9C) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP ChIP ChIP-seq
12741T	LC3A/B (D3U4C) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC
12790T	CDK4 (D9G3E) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
12799T	Acetyl-Histone H2B (Lys5) (D5H1S) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC ChIP
12815T	Prostate Specific Membrane Antigen (D7I8E) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
12827T	Caspase-7 (D2Q3L) Rabbit mAb	20 ul	(H) (M)	W
12912T	IL-6 (D5W4V) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	W F IP IF-IC
12943T	NeuN (D3S3I) Rabbit mAb	20 ul	(H) (M)	W IF-F
12980T	Catalase (D4P7B) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
12994T	Atg5 (D5F5U) Rabbit mAb	20 ul	(H) (M)	W IP
13008T	Phospho-YAP (Ser127) (D9W2I) Rabbit mAb	20 ul	(H) (M)	IHC-P W IP
13031T	LKB1 (D60C5F10) Rabbit mAb (IHC Formulated)	20 ul	(H) (M) (Mk)	IHC-P
13038T	Phospho-Akt (Thr308) (D25E6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC
13048T	Rab25 (D4P6P) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
13062T	AGR2 (D9V2F) XP Rabbit mAb	20 ul	(H)	IHC-P W F IF-IC
13063T	Keratin 20 (D9Z1Z) XP Rabbit mAb	20 ul	(H)	IHC-P W F IF-IC
13084T	Wee1 (D10D2) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IP
13109T	p63-a (D2K8X) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC ChIP ChIP-seq
13110T	PCNA (D3H8P) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC IF-F
13113T	CD71 (D7G9X) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC
13116T	N-Cadherin (D4R1H) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC IHC-Bond
13141T	SOD2 (D3X8F) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
13166T	Integrin B3 (D7X3P) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
13175T	Phospho-PRAS40 (Thr246) (D4D2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
13176T	Calbindin (D1I4Q) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-F
13179T	UCHL1 (D3T2E) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC IF-F
13198T	Syk (D3Z1E) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP
13232T	T-bet/TBX21 (D6N8B) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP IF-IC ChIP ChIP-seq
13246T	T7-Tag (D9E1X) XP Rabbit mAb	20 ul	(All)	W IP IF-IC
13255T	Claudin-1 (D5H1D) XP Rabbit mAb	20 ul	(H) (Dg)	IHC-P W IP
13301T	SAV1 (D6M6X) Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
13331T	CDK6 (D4S8S) Rabbit mAb	20 ul	(H) (Mk)	W IP
13368T	FABP1 (D2A3X) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC IF-F
13448T	Phospho-Lamin A/C (Ser22) (D2B2E) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
13468T	Atg13 (E1Y9V) Rabbit mAb	20 ul	(H)	W IP IF-IC
13594T	JARID2 (D6M9X) Rabbit mAb	20 ul	(H) (M)	W IP ChIP ChIP-seq
13650T	Langerin (D9H7R) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC
13667T	MMP-9 (D6O3H) XP Rabbit mAb	20 ul	(H)	IHC-P W F
13674T	Toll-like Receptor 9 (D9M9H) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC
13684T	PD-L1 (E1L3N) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP IHC-Bond
13812T	MyoD1 (D8G3) XP Rabbit mAb	20 ul	(H)	W IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
13820T	Phospho-Smad1 (Ser463/465)/ Smad5 (Ser463/465)/ Smad9 (Ser465/467) (D5B10) Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC
13856T	PGRMC1 (D6M5M) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC
13901T	Vinculin (E1E9V) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IHC-Bond
13917T	CD45 (Intracellular Domain) (D9M8I) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP IF-IC
13969T	Tri-Methyl-Histone H3 (Lys9) (D4W1U) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP
13987T	c-Myc/N-Myc (D3N8F) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IF-IC ChIP ChIP-seq
14013T	PC2 (D1E1S) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC IF-F
14037T	Secretagogin (D4V1Y) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-F
14058T	B7-H3 (D9M2L) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
14065T	Lyric/Metadherin (D5Y8R) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W
14074T	YAP (D8H1X) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	IHC-P W F IP IF-IC ChIP ChIP-seq IHC-Bond C&R
14111T	Mono-Methyl-Histone H3 (Lys36) (D9J1D) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP ChIP-seq
14154T	PABP2 (D6F3Q) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
14161T	MUC1 (D9O8K) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC
14163T	HMGB2 (D1P9V) Rabbit mAb	20 ul	(H) (M) (Mk)	W
14168T	Coilin (D2L3J) XP Rabbit mAb	20 ul	(H) (Mk)	W IF-IC
14202T	Phospho-ULK1 (Ser757) (D7O6U) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
14220T	Caspase-3 (D3R6Y) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
14369T	OLFM4 (D1E4M) XP Rabbit mAb	20 ul	(H)	IHC-P W
14475T	Aurora A (D3E4Q) Rabbit mAb	20 ul	(H)	W F IP IF-IC
14479T	CYR61 (D4H5D) XP Rabbit mAb	20 ul	(H)	W F IF-IC
14481T	CD39/NTPDase 1 (E2X6B) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	IHC-P W
14543T	INPP4b (D9K1B) XP Rabbit mAb	20 ul	(H)	IHC-P W IP
14556T	Ret (E1N8X) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC
14569T	Myeloperoxidase (E1E7I) XP Rabbit mAb	20 ul	(H)	IHC-P W IF-IC
14572T	B7-H4 (D1M8I) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
14697T	Cas9 (7A9-3A3) Mouse mAb	20 ul	(All)	IHC-P W F IF-IC
14745T	Phospho-SLP-76 (Ser376) (D9D6E) Rabbit mAb	20 ul	(H) (M)	W
14803T	Integrin B4 (D8P6C) XP Rabbit mAb	20 ul	(H)	IHC-P W F
14804T	LSR (D3E3N) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IP
14895T	BCL6 (D4I2V) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC ChIP ChIP-seq
14896T	MIST1/bHLHa15 (D7N4B) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
14952T	FoxO1 (D7C1H) Mouse mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
14959T	CGRP (D5R8F) Rabbit mAb	20 ul	(H) (M)	W IF-IC IF-F
14962T	Sox2 (D1C7J) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
14974T	B-Amyloid (1-42) (D9A3A) Rabbit mAb	20 ul	(H)	W IF-F

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
14975T	B-Amyloid (pE3 Peptide) (D5N5H) Rabbit mAb	20 ul	(H)	IHC-P W IF-F
14994T	Stat1 (D1K9Y) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC ChIP
15013T	Phospho-Tau (Ser416) (D7U2P) Rabbit mAb	20 ul	(H) (M)	IHC-P W IP
15035T	Neurofascin 155 (D7B6O) Rabbit mAb	20 ul	(H) (M)	W IF-F
15036T	Cre Recombinase (D7L7L) XP Rabbit mAb	20 ul	(All)	IHC-P W F IF-IC IF-F
15071T	Bcl-2 (124) Mouse mAb	20 ul	(H)	IHC-P W F IP IHC-Bond
15102T	cGAS (D1D3G) Rabbit mAb	20 ul	(H)	W
15126T	B-Amyloid (D3D2N) Mouse mAb	20 ul	(H)	IHC-P W IF-F
15165T	PD-L1 (Extracellular Domain Specific) (E1J2J(TM)) Rabbit mAb	20 ul	(H)	IHC-P W
15372T	LAG3 (D2G4O(TM)) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
15506T	Malic Enzyme 2 (E1N3E) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IF-IC
15665T	LAMP1 (D4O1S) Mouse mAb	20 ul	(H)	W IP IF-IC
16318T	Phospho-SLP-76 (Ser376) (D7S1K) Rabbit mAb (PE Conjugate)	20 ul	(H)	F
17198T	Iba1/AIF-1 (E4O4W) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC IF-F IHC-Bond
17507T	ASC/TMS1 (D2W8U) Rabbit mAb (Mouse Specific) (Alexa Fluor 488 Conjugate)	20 ul	(M)	F IF-IC
17819T	Calponin 1 (D8L2T) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC IF-F
18048T	CDK2 (E8J9T) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP
18338T	Phospho-SMAD2 (Ser465/Ser467) (E8F3R) Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC ChIP
18381T	HSL (D6W5S) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
18634T	Flotillin-1 (D2V7J) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC
18798T	4-1BB/CD137/TNFRSF9 (E2J5H) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	IHC-P W F IF-IC IF-F IHC-Bond
19245T	a-Smooth Muscle Actin (D4K9N) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-F IHC-Bond
19526T	Cas9 (S. pyogenes) (E7M1H) XP Rabbit mAb	20 ul	(All)	IHC-P W F IF-IC IF-F
19541T	4-1BB/CD137/TNFRSF9 (E6Z7F) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
19807T	Non-phospho (Active) B-Catenin (Ser45) (D2U8Y) XP Rabbit mAb	20 ul	(H) (M) (Mk) (Z) (Dg)	IHC-P W F IP IF-IC IF-F
2002T	BID Antibody (Human Specific)	20 ul	(H)	W IP
2010T	Atg12 Antibody (Human Specific)	20 ul	(H)	W IF-IC
2013T	eIF4A (C32B4) Rabbit mAb	20 ul	(H) (M) (Mk)	W
2017T	MSH2 (D24B5) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC
20194T	Phospho-Tau (Ser404) (D2Z4G) Rabbit mAb (IF preferred)	20 ul	(H) (M)	W IP IF-IC IF-F
2024T	Hexokinase I (C35C4) Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC
20292T	Grp94 (D6X2Q) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IF-IC
2032T	Lamin A/C Antibody	20 ul	(H) (M)	IHC-P W
2038T	PP2A C Subunit Antibody	20 ul	(H) (M) (Mk) (Dm)	IHC-P W F IP IF-IC
2041T	PP2A A Subunit (81G5) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IF-IC
2042T	XIAP Antibody	20 ul	(H) (M) (Mk)	W

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
2045T	XIAP (3B6) Rabbit mAb	20 ul	(H) (Mk)	W
2051T	Phospho-PKD/PKC α (Ser916) Antibody	20 ul	(H) (M) (Mk)	W IP
2054T	Phospho-PKD/PKC α (Ser744/748) Antibody	20 ul	(H) (M) (Mk)	W
2056T	PKC α Antibody	20 ul	(H) (M) (Mk)	W F IP IF-IC
20648T	IQGAP1 (D8K4X) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IF-IC
2067T	eIF4E (C46H6) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
2073T	Naked2 (C67C4) Rabbit mAb	20 ul	(H)	W IP
2078T	Phospho-IKK α (Ser176)/IKKB (Ser177) (C84E11) Rabbit mAb	20 ul	(H) (M)	W
2083T	Phospho-Raptor (Ser792) Antibody	20 ul	(H) (M)	W
2087T	Axin1 (C76H11) Rabbit mAb	20 ul	(H) (M)	IHC-P W IP
2098T	RhoB Antibody	20 ul	(H) (M) (Mk)	W
2102T	Non-phospho-Src (Tyr416) (7G9) Mouse mAb	20 ul	(H) (M)	W IP
2104T	Grp94 Antibody	20 ul	(H) (M) (Mk)	W
2105T	Phospho-Src (Tyr527) Antibody	20 ul	(H) (M)	IHC-P W
2107T	Non-phospho-Src (Tyr527) Antibody	20 ul	(H) (M)	W
2109T	Src (36D10) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (B) (Pg)	IHC-P W F IP IF-IC IF-F
2114T	Rictor (53A2) Rabbit mAb	20 ul	(H) (M) (Mk)	W
2117T	RhoA (67B9) Rabbit mAb	20 ul	(H) (M) (Mk) (B)	W
2123T	Src (32G6) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
2128T	B-Tubulin (9F3) Rabbit mAb	20 ul	(H) (M) (Mk) (Z) (B)	IHC-P W F IF-IC
2135T	CD2AP Antibody	20 ul	(H) (M) (Mk)	W
2143T	Rab5A Antibody	20 ul	(H) (M) (Hm) (Mk)	W IF-IC
2156T	Skp1 Antibody	20 ul	(H) (M)	W F IF-IC
2167T	Rab4 Antibody	20 ul	(H) (M) (Hm) (Mk)	W
2179T	c-Cbl (C49H8) Rabbit mAb	20 ul	(H) (Mk)	W IP
2180T	Ku80 (C48E7) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IP IF-IC IHC-F
2181T	Phospho-Rb (Ser608) Antibody	20 ul	(H) (Mk)	W IP
2186T	CENP-A Antibody	20 ul	(H)	W
2189T	P-Cadherin (C13F9) Rabbit mAb	20 ul	(H)	W IF-IC
2196T	ESET (C1C12) Rabbit mAb	20 ul	(H) (Mk)	W IP IF-IC
2197T	Phospho-Chk2 (Thr68) (C13C1) Rabbit mAb	20 ul	(H)	IHC-P W F IP
2201T	Naked1 (C30F10) Rabbit mAb	20 ul	(H)	W IP
2203T	TCF1/TCF7 (C63D9) Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC ChIP
2207T	Shh (C9C5) Rabbit mAb	20 ul	(H)	W
2208T	RPA32/RPA2 (4E4) Rat mAb	20 ul	(H) (M) (Hm) (Mk)	W IP IF-IC
2209T	Toll-like Receptor 1 Antibody	20 ul	(H)	W
2210T	Jagged2 (C23D2) Rabbit mAb	20 ul	(H)	W IP
2224T	Caspase-2 (C2) Mouse mAb	20 ul	(H)	W
2225T	Caspase-1 Antibody	20 ul	(H)	W
2227T	Phospho-PDGFR β (Tyr1021) (6F10) Rabbit mAb	20 ul	(H) (M)	W
2230T	LEF1 (C12A5) Rabbit mAb	20 ul	(H) (M)	W F IF-IC
2235T	Phospho-EGFR (Tyr992) Antibody	20 ul	(H) (M) (Mk)	IHC-P W
2237T	Phospho-EGFR (Tyr1045) Antibody	20 ul	(H)	W IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
2243T	Phospho-HER2/ErbB2 (Tyr1221/1222) (6B12) Rabbit mAb	20 ul	(H) (M)	IHC-P W IHC-F
2250T	c-Fos (9F6) Rabbit mAb	20 ul	(H) (M)	W F IF-IC ChIP
2251T	FosB (5G4) Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC ChIP
2259T	PP2A C Subunit (52F8) Rabbit mAb	20 ul	(H) (M) (Mk) (Dm)	IHC-P W F IP
2278T	Myc-Tag (71D10) Rabbit mAb	20 ul	(All)	W F IP IF-IC
2280T	Raptor (24C12) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
2290T	PP2A B Subunit (100C1) Rabbit mAb	20 ul	(H) (M) (Mk) (Dm)	IHC-P W IP
2307T	p38y MAPK Antibody	20 ul	(H) (M) (Mk)	W IP
2308T	p38d MAPK (10A8) Rabbit mAb	20 ul	(H)	W IP
2316T	CDK9 (C12F7) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (B) (Dg)	IHC-P W F IP IF-IC IHC-F
2318T	C/EBPd Antibody	20 ul	(M)	W
2339T	p38B MAPK (C28C2) Rabbit mAb	20 ul	(H) (Mk)	W IP
23413T	Insulin Receptor B (E9L5V) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC IHC-Bond
2341T	Phospho-Chk1 (Ser345) Antibody	20 ul	(H) (M) (Mk)	W
2344T	Phospho-Chk1 (Ser317) Antibody	20 ul	(H) (Mk) (Mi)	W
23451T	CD200 (E5I9V) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IHC-Bond
2348T	Phospho-Chk1 (Ser345) (133D3) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IF-IC
2349T	Phospho-Chk1 (Ser296) Antibody	20 ul	(H) (Mk)	W
2361T	Phospho-c-Jun (Ser63) (54B3) Rabbit mAb	20 ul	(H) (M)	IHC-P W
2365T	His-Tag Antibody	20 ul	(All)	W IP
2366T	His-Tag (27E8) Mouse mAb	20 ul	(All)	W IP
2368T	DYKDDDDK Tag Antibody (Binds to same epitope as Sigma's Anti-FLAG M2 Antibody)	20 ul		W F IP
23706T	Phospho-a-Synuclein (Ser129) (D1R1R) Rabbit mAb	20 ul	(H) (M)	W IP IF-F
2381T	Phospho-IRS-1 (Ser307) Antibody	20 ul	(H) (M)	W
2385T	Phospho-IRS-1 (Ser1101) Antibody	20 ul	(H) (M)	W IP
2402T	HSP27 (G31) Mouse mAb	20 ul	(H) (Mk)	IHC-P W IF-IC
2404T	Phospho-HSP27 (Ser15) Antibody	20 ul	(H) (Mk)	W
2405T	Phospho-HSP27 (Ser78) Antibody	20 ul	(H) (Mk)	IHC-P W F
2406T	Phospho-HSP27 (Ser82) Antibody II	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC IHC-F
2426T	PHB1 Antibody	20 ul	(H) (M) (Mk)	W IP
24307T	NeuN (D4G4O) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-F
24330T	Enolase-2 (E2H9X) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
2434T	Phospho-Shc (Tyr239/240) Antibody	20 ul	(H) (M)	W
2435T	PPARy (C26H12) Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-IC ChIP
2441T	Phospho-eIF4G (Ser1108) Antibody	20 ul	(H) (M) (Hm) (Mk) (B)	W IP IF-IC
2450T	APP/B-Amyloid (NAB228) Mouse mAb	20 ul	(H) (Mk) (B)	IHC-P W IF-P
2461T	Phospho-Rac1/cdc42 (Ser71) Antibody	20 ul	(H)	W
2465T	Rac1/2/3 Antibody	20 ul	(H) (M) (Mk) (B)	W F
2466T	Cdc42 (11A11) Rabbit mAb	20 ul	(H) (M) (B)	W
2468T	PTCH1 (C53A3) Rabbit mAb	20 ul	(H)	W IP
2469T	eIF4G (C45A4) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
2470T	PTCH2 (G1191) Antibody	20 ul	(H)	W IP
2474T	Phospho-VEGF Receptor 2 (Tyr996) Antibody	20 ul	(H) (M)	W
2475T	PSA/KLK3 (D11E1) XP Rabbit mAb	20 ul	(H)	IHC-P W
2478T	Phospho-VEGF Receptor 2 (Tyr1175) (19A10) Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-IC
2483T	DLL3 (G93) Antibody	20 ul		W IP
2490T	eIF4A1 Antibody	20 ul	(H) (M) (Mk)	W
2496T	SirT1 (C14H4) Rabbit mAb	20 ul	(H)	W IP
2500T	VE-Cadherin (D87F2) XP Rabbit mAb	20 ul	(H) (B) (Pg)	W F IP IF-IC
25114T	TNFRSF8/CD30 (E7E4D) XP Rabbit mAb	20 ul	(H)	IHC-P W F IF-IC IHC-Bond
2511T	Phospho-Estrogen Receptor a (Ser118) (16J4) Mouse mAb	20 ul	(H)	IHC-P W
2520T	SUFU (C54G2) Rabbit mAb	20 ul	(H) (M) (Mk)	W
2521T	Phospho-p53 (Ser46) Antibody	20 ul	(H) (Mk)	W F IP IF-IC
25229T	CD4 (D7D2Z) Rabbit mAb	20 ul	(M)	IHC-P W IHC-Bond
2524T	p53 (1C12) Mouse mAb	20 ul	(H) (M) (Hm) (Mk)	W F IP IF-IC ChIP
2527T	p53 (7F5) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IF-IC ChIP
2530T	Wnt5a/b (C27E8) Rabbit mAb	20 ul	(H)	W
2534T	GLI1 (V812) Antibody	20 ul	(H)	W IP
2535T	Phospho-AMPKa (Thr172) (40H9) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (Dm) (Sc)	IHC-P W IP
2536T	AMPKy2 Antibody	20 ul	(H) (M) (Mk) (B)	W
2546T	CDK2 (78B2) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP
2550T	AMPKy3 Antibody	20 ul	(H)	W
2552T	p27 Kip1 Antibody	20 ul	(H) (M)	W IP
2557T	p57 Kip2 Antibody	20 ul	(H)	W IP IF-IC
2560T	LRP6 (C5C7) Rabbit mAb	20 ul	(H)	W IP
25656T	Stat5 (D3N2B) Rabbit mAb	20 ul	(H)	IHC-P W IP IF-IC
2568T	Phospho-LRP6 (Ser1490) Antibody	20 ul	(H)	W IP
2569T	TCF4/TCF7L2 (C48H11) Rabbit mAb	20 ul	(H)	W IP ChIP ChIP-seq C&R
2576T	Acetyl-Histone H2A (Lys5) Antibody	20 ul	(H) (M) (Mk)	IHC-P W IP
2586T	PCNA (PC10) Mouse mAb	20 ul	(H) (M) (Mk) (B) (Pg)	IHC-P W F IP IF-IC
2588T	DLL1 Antibody	20 ul		W
2589T	DLL4 Antibody	20 ul	(H)	W IP
2594T	Acetyl-Histone H4 (Lys8) Antibody	20 ul	(H) (M) (Mk)	W
2598T	NUP98 (C39A3) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
2599T	Phospho-FoxO1 (Thr24)/FoxO3a (Thr32)/FoxO4 (Thr28) (4G6) Rabbit mAb	20 ul	(H) (M) (Mk)	W
2601T	Phospho-PAK1 (Thr423)/PAK2 (Thr402) Antibody	20 ul	(H) (M) (GP)	W
2602T	PAK1 Antibody	20 ul	(H) (M) (Mk) (GP)	W IP
2604T	PAK1/2/3 Antibody	20 ul	(H) (M) (Mk) (GP)	W
2605T	Phospho-PAK1 (Ser199/204)/PAK2 (Ser192/197) Antibody	20 ul	(H) (M) (GP)	W
2606T	Phospho-PAK1 (Ser144)/PAK2 (Ser141) Antibody	20 ul	(H) (M) (GP)	W
2607T	Phospho-PAK2 (Ser20) Antibody	20 ul	(H) (M) (GP)	W
2609T	PAK3 Antibody	20 ul	(H) (M)	W IP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
2615T	PAK2 (C17A10) Rabbit mAb	20 ul	(H) (M) (Mk)	W
2620T	Jagged1 (28H8) Rabbit mAb	20 ul	(H) (M)	W IP
2625T	GST (91G1) Rabbit mAb	20 ul	(All)	W IP
2631T	Atg7 Antibody	20 ul	(H) (M)	W
2634T	MYPT1 Antibody	20 ul	(H) (M) (Hm) (Mk)	W
2639T	Fibrillarin (C13C3) Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC
2644T	a/B-Synuclein (Syn205) Mouse mAb	20 ul	(H) (M)	IHC-P W IP IF-F
2647T	a-Synuclein (Syn204) Mouse mAb	20 ul	(H)	IHC-P W
2652T	Skp2 (D3G5) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IP IF-IC
2661T	Phospho-Chk2 (Thr68) Antibody	20 ul	(H) (Mk)	W F IP IF-IC
2662T	Chk2 Antibody	20 ul	(H) (M) (Mk)	W IP
26632T	GABARAPL1 (D5R9Y) XP Rabbit mAb	20 ul	(H) (M)	W F IF-IC
2665T	Phospho-Chk2 (Ser33/35) Antibody	20 ul	(H) (Mk)	W
2666T	Phospho-Chk2 (Ser19) Antibody	20 ul	(H)	IHC-P W
2669T	Phospho-Chk2 (Ser516) Antibody	20 ul	(H)	W
2676T	Phospho-p53 (Thr81) Antibody	20 ul	(H) (Mk)	IHC-P W
2678T	IKKB (L570) Antibody	20 ul	(H) (M) (Hm) (Mk) (B) (GP)	W IP
2679T	Calnexin (C5C9) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IF-IC
2690T	IKKE Antibody	20 ul	(H) (M)	W
2691T	PRAS40 (D23C7) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
2694T	Phospho-IKKA/B (Ser176/180) Antibody II	20 ul	(H) (M) (Mk)	W
2695T	IKKy (DA10-12) Mouse mAb	20 ul	(H)	W
2696T	Phospho-B-Raf (Ser445) Antibody	20 ul	(H) (M) (Mk)	W
2697T	Phospho-IKKA/B (Ser176/180) (16A6) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F
2699T	CUL4A Antibody	20 ul	(H) (Mk)	W IP
2701T	Phospho-Zap-70 (Tyr319)/Syk (Tyr352) Antibody	20 ul	(H)	W F IF-IC
2704T	Phospho-Zap-70 (Tyr493)/Syk (Tyr526) Antibody	20 ul	(H)	W IP
2708T	p70 S6 Kinase (49D7) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
2710T	Phospho-Syk (Tyr525/526) (C87C1) Rabbit mAb	20 ul	(H)	W F IP IF-IC
2712T	Syk Antibody	20 ul	(H) (M)	W
2715T	Phospho-Syk (Tyr323) Antibody	20 ul	(H)	W IP
2717T	Phospho-Zap-70 (Tyr319)/Syk (Tyr352) (65E4) Rabbit mAb	20 ul	(H) (M)	W F IF-IC
2721T	Wnt3a (C64F2) Rabbit mAb	20 ul	(M)	W IP
2731T	Phospho-Lyn (Tyr507) Antibody	20 ul	(H) (M)	W
2737T	ATRIP Antibody	20 ul	(H)	W IP IF-IC
2751T	Phospho-Lck (Tyr505) Antibody	20 ul	(H) (M)	W IP
2754T	NEDD8 (19E3) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP
2756T	Numb (C29G11) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC
2757T	AMPKa2 Antibody	20 ul	(H) (Mk)	W IP
2758T	ISG15 (22D2) Rabbit mAb	20 ul	(H)	W IP
2764T	Bcl-xL (54H6) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
2772T	Bax Antibody	20 ul	(H) (M) (Mk)	W IP
2779T	SOCS2 Antibody	20 ul	(H) (M)	W IP
2782T	FADD Antibody (Human Specific)	20 ul	(H)	W
2787T	Lck (73A5) Rabbit mAb	20 ul	(H)	W F IF-IC
2789T	Adiponectin (C45B10) Rabbit mAb	20 ul	(H) (M)	W

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
27934T	Phospho-ATF-2 (Thr71)/ATF-7 (Thr53) (E4A5G) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP
2795T	AMPKα1 Antibody	20 ul	(H) (Mk)	W
2796T	Lyn (C13F9) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
2808T	Survivin (71G4B7) Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC IHC-F
2813T	SET7/SET9 Antibody	20 ul	(H) (M) (Mk)	W IF-IC
2821T	Phospho-PLCγ1 (Tyr783) Antibody	20 ul	(H) (M)	W
2827T	Phospho-Bcl-2 (Ser70) (5H2) Rabbit mAb	20 ul	(H)	W F
2835T	Neurofilament-L (DA2) Mouse mAb	20 ul	(H) (M)	IHC-P W IF-F
2836T	Neurofilament-H (RMdO 20) Mouse mAb	20 ul	(H) (M)	IHC-P W IF-F
2837T	Neurofilament-L (C28E10) Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-F
2838T	Neurofilament-M (RMO 14.9) Mouse mAb	20 ul	(H) (M)	W IP
2840T	Oct-4A (C30A3) Rabbit mAb	20 ul	(H) (M)	W F IF-IC
2841T	Phospho-C/EBPα (Ser21) Antibody	20 ul	(H) (M)	W
2844T	Phospho-C/EBPα (Thr222/226) Antibody	20 ul	(H) (M)	W
2845T	4E-BP2 Antibody	20 ul	(H) (M) (Mk) (B)	IHC-P W F IP
2847T	ZO-2 Antibody	20 ul	(H) (M) (Mk) (B) (Dg)	W IF-IC
2853T	Phospho-ATR (Ser428) Antibody	20 ul	(H) (M) (Mk)	W
2854T	XLF Antibody	20 ul	(H)	W IP
2855T	Phospho-4E-BP1 (Thr37/46) (236B4) Rabbit mAb	20 ul	(H) (M) (Mk) (Dm)	IHC-P W F IF-IC
2859T	Phospho-IκBα (Ser32) (14D4) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
2862T	c-Abl Antibody	20 ul	(H) (M)	W IP
2867T	Hexokinase II (C64G5) Rabbit mAb	20 ul	(H) (M) (Mk)	W
2869T	Syntaxin 6 (C34B2) Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
2873T	ATM (D2E2) Rabbit mAb	20 ul	(H) (M)	W
2875T	Phospho-Bcl-2 (Thr56) Antibody (Human Specific)	20 ul	(H)	W
2880T	FoxO1 (C29H4) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC ChIP
2881T	ERp57 (G117) Antibody	20 ul	(H) (M)	W
2883T	TCF3/TCF7L1 (D15G11) Rabbit mAb	20 ul	(H) (Mk)	W
2895T	CHOP (L63F7) Mouse mAb	20 ul	(H) (M)	W F IP IF-IC ChIP
2896T	p18 INK4C (DCS118) Mouse mAb	20 ul	(H)	W IP
2897T	Argonaute 2 (C34C6) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
2901T	Di-Methyl-Histone H3 (Lys36) (C75H12) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
2905T	IKKE (D20G4) Rabbit mAb	20 ul	(H)	W IP
29122T	PD-L1 (405.9A11) Mouse mAb	20 ul	(H)	IHC-P W
2914T	Phospho-Aurora A (Thr288)/Aurora B (Thr232)/Aurora C (Thr198) (D13A11) XP Rabbit mAb	20 ul	(H) (M)	W F IF-IC
2916T	CDK7 (MO1) Mouse mAb	20 ul	(H)	IHC-P W IP
2927T	Cyclin H Antibody	20 ul	(H) (M)	W IP
2933T	Bim (C34C5) Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC IHC-Bond
2935T	Histone H4 (L64C1) Mouse mAb	20 ul	(H) (M) (Mk)	IHC-P W
2936T	Cyclin D3 (DCS22) Mouse mAb	20 ul	(H) (M)	IHC-P W
2938T	Akt1 (C73H10) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
2946T	p21 Waf1/Cip1 (DCS60) Mouse mAb	20 ul	(H) (Mk)	IHC-P W
2947T	p21 Waf1/Cip1 (12D1) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IP IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
29499T	CD48 (D7L81) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
2956T	GFP (D5.1) Rabbit mAb	20 ul	(All)	IHC-P W
2974T	Phospho-mTOR (Ser2481) Antibody	20 ul	(H) (M) (Mk)	W
29765T	APP (E8B3O) XP Rabbit mAb	20 ul	(H)	IHC-P W IP
2978T	Cyclin D1 (92G2) Rabbit mAb	20 ul	(H) (M)	IHC-P W
2983T	mTOR (7C10) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
2984T	Lck (D88) XP Rabbit mAb	20 ul	(H)	IHC-P W
2992T	Phospho-PDGF Receptor a (Tyr754) (23B2) Rabbit mAb	20 ul	(H) (M)	W IP
2996T	SET8 (C18B7) Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC
2997T	Phospho-PRAS40 (Thr246) (C77D7) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
3001T	Phospho-p95/NBS1 (Ser343) Antibody	20 ul	(H) (M) (Mi)	W
30036T	B-Arrestin 1 (D7Z3W) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
3007T	Phospho-MAPKAPK-2 (Thr334) (27B7) Rabbit mAb	20 ul	(H) (M) (Mk)	W
3011T	PI3 Kinase p110B (C33D4) Rabbit mAb	20 ul	(H)	W IP
3017T	NF-kB2 p100/p52 (18D10) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F
3021T	Phospho-IGF-I Receptor B (Tyr1131)/Insulin Receptor B (Tyr1146) Antibody	20 ul	(H) (M)	W IP
3024T	Phospho-IGF-I Receptor B (Tyr1135/1136)/Insulin Receptor B (Tyr1150/1151) (19H7) Rabbit mAb	20 ul	(H) (M)	W
3025T	Insulin Receptor B (4B8) Rabbit mAb	20 ul	(H) (M)	W IP
30325T	F4/80 (D4C8V) XP Rabbit mAb	20 ul	(M)	W IP IF-IC IF-F
3033T	Phospho-NF-kB p65 (Ser536) (93H1) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (Pg)	W F IP IF-IC
3040T	Phospho-MYPT1 (Ser507) Antibody	20 ul	(H) (M)	W
3057T	NEK7 (C34C3) Rabbit mAb	20 ul	(H)	W
3062T	PDK1 Antibody	20 ul	(H) (M) (Mk)	W
3063T	Akt2 (D6G4) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3073T	Phospho-c-Kit (Tyr703) (D12E12) Rabbit mAb	20 ul	(H)	W IP
3074T	c-Kit (D13A2) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
3077T	Phospho-Met (Tyr1234/1235) (D26) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC IHC-F
3079T	Phospho-Aurora A (Thr288) (C39D8) Rabbit mAb	20 ul	(H)	W IF-IC
3084T	Phospho-C/EBPB (Thr235) Antibody	20 ul	(H) (M)	W
30853T	Emerin (D3B9G) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
3087T	C/EBPB (LAP) Antibody	20 ul	(H) (M)	W
3094T	Aurora B/AIM1 Antibody	20 ul	(H) (M) (Mk)	W F IP
31025T	IGFBP1 (D4E9T) XP Rabbit mAb	20 ul	(H)	IHC-P W
3108T	Phospho-Smad2 (Ser465/467) (138D4) Rabbit mAb	20 ul	(H) (M) (Mi)	W
3111T	Phospho-VASP (Ser157) Antibody	20 ul	(H) (M) (Mk) (GP)	W
3114T	Phospho-VASP (Ser239) Antibody	20 ul	(H) (M) (Mk)	W
3124T	Phospho-PDGF Receptor B (Tyr1009) (42F9) Rabbit mAb	20 ul	(H) (M)	W IP
3128T	ARP2 Antibody	20 ul	(H) (M) (Hm) (Mk) (Dm)	W
3130T	c-IAP2 (58C7) Rabbit mAb	20 ul	(H)	W IP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
3132T	VASP (9A2) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (B)	W IP IF-IC
3133T	Phospho-Met (Tyr1349) (130H2) Rabbit mAb	20 ul	(H) (M)	W
3135T	Phospho-Met (Tyr1003) (13D11) Rabbit mAb	20 ul	(H) (M)	W
3136T	CDK6 (DCS83) Mouse mAb	20 ul	(H) (M)	W
3142T	Ezrin/Radixin/Moesin Antibody	20 ul	(H) (M) (Mk) (B)	W
3165T	Zap-70 (D1C10E) XP Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC
3168T	Phospho-PDGF Receptor B (Tyr740) (32A9) Rabbit mAb	20 ul	(M)	W
3169T	PDGF Receptor B (28E1) Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC IHC-F
3170T	Phospho-PDGF Receptor a (Tyr849)/PDGF Receptor B (Tyr857) (C43E9) Rabbit mAb	20 ul	(H) (M)	W IP
31718T	Cathepsin B (D1C7Y) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC
3173T	Phospho-PDGF Receptor B (Tyr771) (76D6) Rabbit mAb	20 ul	(M)	W
3174T	PDGF Receptor a (D1E1E) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC
31759T	DAF/CD55 (E7G2U) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
3177T	BiP (C50B12) Rabbit mAb	20 ul	(H) (M)	IHC-P W F
3180T	Fatty Acid Synthase (C20G5) Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC
3190T	PKM1/2 (C103A3) Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC
3195T	E-Cadherin (24E10) Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC
3203T	Phospho-IRS-1 (Ser612) (C15H5) Rabbit mAb	20 ul	(H) (M)	W
3205T	Pyruvate Dehydrogenase (C54G1) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
3218T	Dvl3 Antibody	20 ul	(H) (M) (Hm) (Mk) (Mi) (B)	W IP
3224T	Dvl2 (30D2) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3230T	Jak2 (D2E12) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP
3232T	Gab1 Antibody	20 ul	(H) (M) (Mk)	W IP
3233T	Phospho-Gab1 (Tyr627) (C32H2) Rabbit mAb	20 ul	(H)	W
3234T	Phospho-Gab1 (Tyr307) Antibody	20 ul	(H) (M)	W
3236T	a-E-Catenin Antibody	20 ul	(H) (M)	W IF-IC
3240T	a-E-Catenin (23B2) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3246T	Profilin-1 (C56B8) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (Dg)	W
3247T	Pim-1 (C93F2) Rabbit mAb	20 ul	(H) (M)	W
3251T	Phospho-Caveolin-1 (Tyr14) Antibody	20 ul	(H) (M) (Mk)	W
3255T	TTK Antibody	20 ul	(H)	W IP
3264T	Ero1-La Antibody	20 ul	(H)	W
3267T	Caveolin-1 (D46G3) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (B) (Dg)	IHC-P W F IP IF-IC
3270T	Phospho-c-Jun (Ser73) (D47G9) XP Rabbit mAb	20 ul	(H) (M) (Mk) (Pg)	IHC-P W F IP IF-IC IF-F ChIP ChIP-seq
3273T	JARID1B Antibody	20 ul	(H) (Mk)	W IP
3274T	GBL (86B8) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3281T	Phospho-FAK (Tyr576/577) Antibody	20 ul	(H) (M)	W IP
3284T	Phospho-FAK (Tyr925) Antibody	20 ul	(H) (M)	W IP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
3285T	FAK Antibody	20 ul	(H) (M) (Mk) (B) (Pg)	IHC-P W IP
3287T	ROS1 (D4D6) Rabbit mAb	20 ul	(H)	IHC-P W F IP IF-IC
3288T	EEA1 (C45B10) Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
32934T	Annexin A1 (D5V2T) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP IF-IC
3294T	IRE1a (14C10) Rabbit mAb	20 ul	(H) (M)	W IP
3300T	Phospho-Cyclin D1 (Thr286) (D29B3) XP Rabbit mAb	20 ul	(H) (Mk)	W F IP IF-IC
3305T	GCN5L2 (C26A10) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
3306T	G9a/EHMT2 (C6H3) Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC ChIP
3313T	Phospho-Cofilin (Ser3) (77G2) Rabbit mAb	20 ul	(H) (M) (Mk) (B)	W IF-IC
3316T	Phospho-MAPKAPK-2 (Thr222) (9A7) Rabbit mAb	20 ul	(H) (M) (Mk)	W
33361T	NNMT (E6N2Z) XP Rabbit mAb	20 ul	(H)	IHC-P W
3339T	Ras (27H5) Rabbit mAb	20 ul	(H) (M) (Mk) (Dm)	W
3344T	Jak1 (6G4) Rabbit mAb	20 ul	(H) (M)	IHC-P W
3351T	CD79A Antibody	20 ul	(H)	W IF-IC
3352T	Stathmin Antibody	20 ul	(H) (M) (Mk)	IHC-P W
3358T	PI3 Kinase Class III (D4E2) Rabbit mAb	20 ul	(H) (M) (Mk)	W
3363T	Dicer Antibody	20 ul	(H)	W IP
3364T	Drosha (D28B1) Rabbit mAb	20 ul	(H) (M)	W IP
3366T	Neuropilin-2 (D39A5) XP Rabbit mAb	20 ul	(M)	IHC-P W IP IF-F
3377T	Phospho-Histone H3 (Ser10) (D2C8) XP Rabbit mAb	20 ul	(H) (M) (Mk) (Z)	W F IF-IC
3378T	PCAF (C14G9) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP ChIP
3387T	Cdc6 (C42F7) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	W
3391T	Phospho-c-Kit (Tyr719) Antibody	20 ul	(H) (M)	W
3395T	LRP6 (C47E12) Rabbit mAb	20 ul	(H) (M)	W IP
3396T	ZEB1 (D80D3) Rabbit mAb	20 ul	(H)	W IP
3397T	SHP-2 (D50F2) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
3398T	Phospho-eIF2a (Ser51) (D9G8) XP Rabbit mAb	20 ul	(H) (M) (Mk) (Dm)	IHC-P W IP
3403T	Myosin IIa Antibody	20 ul	(H) (M)	W IF-IC
3405T	Myosin IIc Antibody	20 ul	(H) (M) (Mk)	W
3407T	IRS-1 (D23G12) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3409T	PSD95 (D74D3) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
3411T	eIF3A (D51F4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC
3415T	Atg3 Antibody	20 ul	(H) (M) (Mk)	W
3416T	IKKE (D61F9) XP Rabbit mAb	20 ul	(M)	W F IP IF-IC
3418T	CTCF (D31H2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC ChIP ChIP-seq C&R
3427T	Rad50 Antibody	20 ul	(H) (Mk)	W
3430T	RhoC (D40E4) Rabbit mAb	20 ul	(H) (M) (Mk)	W
3434T	Hydroxy-HIF-1a (Pro564) (D43B5) XP Rabbit mAb	20 ul	(H) (Mk)	W IP IF-IC
3438T	Phospho-PDK1 (Ser241) (C49H2) Rabbit mAb	20 ul	(H) (M)	W IP
3440T	Chk2 (1C12) Mouse mAb	20 ul	(H) (Mk)	IHC-P W IF-IC
3443T	Phospho-HDAC4 (Ser246)/HDAC5 (Ser259)/HDAC7 (Ser155) (D27B5) Rabbit mAb	20 ul	(H) (M)	W
3450T	PSD95 (D27E11) XP Rabbit mAb	20 ul	(H) (M)	W IF-F

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
3456T	MeCP2 (D4F3) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
34589T	HDAC1 (D5C6U) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC ChIP ChIP-seq
34642T	Clusterin (D7N2K) XP Rabbit mAb	20 ul	(H)	IHC-P W
3469T	eIF4H (D85F2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
3477T	LATS1 (C66B5) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
34911T	Phospho-Stat3 (Ser727) (D4X3C) Rabbit mAb	20 ul	(H)	F IP IF-IC ChIP
3493T	RIP (D94C12) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	W F IP IF-IC
34940T	Phospho-CrkL (Tyr207) (E9A1U) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F
3495T	Beclin-1 (D40C5) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
34971T	Integrin B1 (D6S1W) Rabbit mAb	20 ul	(H) (M)	IHC-P W
3497T	PHF2 (D45A2) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3498T	Bcl-2 (D17C4) Rabbit mAb (Mouse Preferred)	20 ul	(H) (M)	W IP
3501T	PDI (C81H6) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IF-IC
35031T	ATF-2 (D4L2X) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP ChIP
3504T	TBK1/NAK (D1B4) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3508T	Brg1 (A52) Antibody	20 ul	(H) (M) (Mk)	W IF-IC
3515T	MLH1 (4C9C7) Mouse mAb	20 ul	(H) (Mk)	W F IP IF-IC
3520T	Phospho-NPM (Ser4) (D19C1) XP Rabbit mAb	20 ul	(H)	W F
3535T	GATA-1 (D52H6) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC
3538T	GLI1 (C68H3) Rabbit mAb	20 ul	(H)	W IP
3547T	Rab5 (C8B1) Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC
3549T	PP2C-a (D18C10) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IP IF-IC
3550T	PIAS1 (D33A7) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IF-IC
3554T	Phospho-c-Cbl (Tyr731) Antibody	20 ul	(H)	W
3555T	Phospho-c-Cbl (Tyr774) Antibody	20 ul	(H)	W IP
3557T	TGM2 (D11A6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IF-IC
3570T	CD44 (156-3C11) Mouse mAb	20 ul	(H)	IHC-P W F IP IF-IC
3571T	Phospho-CD19 (Tyr531) Antibody	20 ul	(H)	W IP
3579T	Sox2 (D6D9) XP Rabbit mAb	20 ul	(H)	W F IF-IC
3582T	LDHA (C4B5) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IF-IC
3584T	Phospho-LAT (Tyr220) Antibody	20 ul	(H)	W IP
35869T	RPA32/RPA2 (E8X5P) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IF-IC
3591T	Phospho-eIF4B (Ser422) Antibody	20 ul	(H) (M) (Mk)	W
3592T	eIF4B Antibody	20 ul	(H) (M) (Mk)	W
3593T	Grp75 (D13H4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC
3601T	Phospho-BLNK (Tyr96) Antibody	20 ul	(H)	W IP
36128T	IL-2Ra/CD25 (E4B2Z) XP Rabbit mAb	20 ul	(M)	IHC-P W IHC-Bond
3615T	Phospho-Tuberin/TSC2 (Ser939) Antibody	20 ul	(H) (M)	W
36169T	HIF-1a (D1S7W) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP ChIP-seq
3617T	Phospho-Tuberin/TSC2 (Thr1462) (5B12) Rabbit mAb	20 ul	(H) (M)	W IP
3619T	MCM2 (D7G11) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC ChIP
3629T	Integrin B5 (D24A5) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
3633T	ALK (D5F3) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP
3638T	Histone H3 (96C10) Mouse mAb	20 ul	(H) (M) (Mk)	W
36406T	Synaptophysin (D8F6H) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-F

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
36438T	BLNK (D3P2H) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP
3658T	AceCS1 (D19C6) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3659T	WAVE-2 (D2C8) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
3660T	Glucocorticoid Receptor (D8H2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP ChIP-seq
36671T	ALDH1A1 (D9J7R) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC
3670T	GFAP (GA5) Mouse mAb	20 ul	(H) (M)	IHC-P W F IF-IC IF-F
3671T	Phospho-Myosin Light Chain 2 (Ser19) Antibody	20 ul	(H) (M) (Dm)	W IF-IC
36746T	EpCAM (D4K8R) XP Rabbit mAb	20 ul	(H)	F IP IF-IC
3674T	Phospho-Myosin Light Chain 2 (Thr18/Ser19) Antibody	20 ul	(H) (M)	W
3676T	Acetyl-CoA Carboxylase (C83B10) Rabbit mAb	20 ul	(H) (M) (Hm)	IHC-P W F IP IF-IC
3682T	MST1 Antibody	20 ul	(H) (M) (Mk) (B)	W IP
3684T	TRADD (7G8) Rabbit mAb	20 ul	(H)	W IP
3686T	p27 Kip1 (D69C12) XP Rabbit mAb	20 ul	(H) (Mk)	W F IP IF-IC
3691T	Phospho-eEF2k (Ser366) Antibody	20 ul	(H) (Mk)	W IP
3698T	p27 Kip1 (SX53G8.5) Mouse mAb	20 ul	(H) (M) (Mk)	W IF-IC
3700T	B-Actin (8H10D10) Mouse mAb	20 ul	(H) (M) (Hm) (Mk) (Dg)	IHC-P W F IF-IC
3704T	ZO-3 (D57G7) XP Rabbit mAb	20 ul	(H)	W IF-IC
3724T	HA-Tag (C29F4) Rabbit mAb	20 ul	(All)	IHC-P W F IP IF-IC ChIP
37259T	CD44 (E7K2Y) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IHC-Bond
3726T	Phospho-Ezrin (Thr567)/Radixin (Thr564)/Moesin (Thr558) (48G2) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IF-IC E-P
3727T	TNF-R2 Antibody	20 ul	(H) (M)	W IP
3735T	MCM7 (D10A11) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (Dg)	IHC-P W IP IF-IC
3736T	TNF-R1 (C25C1) Rabbit mAb	20 ul	(H)	W IP
3737T	SUZ12 (D39F6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP ChIP-seq C&R
37385T	SOD1 (E4G1H) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
3741T	Cyclin D2 (D52F9) Rabbit mAb	20 ul	(H) (M)	W IP
3743T	Rig-I (D14G6) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3751T	Phospho-SHP-2 (Tyr542) Antibody	20 ul	(H) (M)	W IP
3775T	Jak3 Antibody	20 ul	(H)	W
3777T	Phospho-EGF Receptor (Tyr1068) (D7A5) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
37805T	c-Kit (D3W6Y) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IHC-Bond
37829T	Phospho-IRF-3 (Ser386) (E7J8G) XP Rabbit mAb	20 ul	(H)	W F IF-IC
3788T	Akt3 (62A8) Rabbit mAb	20 ul	(H) (M)	W IP
3796T	a-Amylase (D55H10) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
3798T	ERp44 (D17A6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
3801T	MMP-7 (D4H5) XP Rabbit mAb	20 ul	(M)	IHC-P W
3806T	Phospho-Rictor (Thr1135) (D30A3) Rabbit mAb	20 ul	(H) (M) (Mk)	W
3810T	Enolase-1 Antibody	20 ul	(H) (M) (Mk)	W IP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
3820T	PDHK1 (C47H1) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3833T	eIF6 (D16E9) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
3841T	Phospho-LIMK1 (Thr508)/LIMK2 (Thr505) Antibody	20 ul	(H)	W
38454T	Smad4 (D3M6U) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP ChIP ChIP-seq
3845T	LIMK2 (8C11) Rabbit mAb	20 ul	(H) (Mk)	W F
3858T	APPL1 (D83H4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
3866T	Caspase-1 (D7F10) Rabbit mAb	20 ul	(H)	W IP
3868T	LC3B (D11) XP Rabbit mAb	20 ul	(H)	W F IF-IC
3871T	Phospho-PLCy2 (Tyr1217) Antibody	20 ul	(H) (M)	W
3872T	PLCy2 Antibody	20 ul	(H) (M)	W IP
3873T	a-Tubulin (DM1A) Mouse mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
3874T	Phospho-PLCy2 (Tyr759) Antibody	20 ul	(H) (M)	W
3876T	JARID1A (D28B10) Rabbit mAb	20 ul	(H) (M)	W IP
3877T	Phospho-Vimentin (Ser56) Antibody	20 ul	(H) (M) (Mk)	W IF-IC
3878T	Phospho-Vimentin (Ser83) Antibody	20 ul	(H) (M) (Mk)	W
3879T	Snail (C15D3) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
3882T	Phospho-Gab2 (Tyr452) (C33G1) Rabbit mAb	20 ul	(H) (M)	W
39141T	Olfm4 (D6Y5A) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	IHC-P W IP IF-F
3918T	Phospho-IGF-I Receptor B (Tyr1135) (DA7A8) Rabbit mAb	20 ul	(H) (M)	W
3921T	Phospho-AMPA Receptor 2 (GluA2) (Tyr869/Tyr873/Tyr876) Antibody	20 ul		W
39300T	CD5 (E8X3S) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IHC-Bond
3936T	Ubiquitin (P4D1) Mouse mAb	20 ul	(All)	IHC-P W
3949T	HDAC3 (7G6C5) Mouse mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
3950T	SOCS1 (A156) Antibody	20 ul	(H) (M) (Mk)	W
3952T	MST2 Antibody	20 ul	(H) (M) (Mk) (B)	W IP
3960T	Nur77 (D63C5) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC
3983T	Phospho-ALK (Tyr1278/1282/1283) Antibody	20 ul	(H)	W IP
39926T	FABP5 (D1A7T) Rabbit mAb	20 ul	(H) (M)	IHC-P W
3993T	MAVS Antibody	20 ul	(H)	W IF-IC
3995T	MSH6 (P150) Antibody	20 ul	(H) (M) (Mk)	W
40134T	DPP4/CD26 (D6D8K) Rabbit mAb (IHC Formulated)	20 ul	(H)	IHC-P
4019T	Tau (Tau46) Mouse mAb	20 ul	(H) (M)	IHC-P W
4021T	Talin-1 (C45F1) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	IHC-P W
4023T	Fyn Antibody	20 ul	(H) (M)	W
4035T	ROCK1 (C8F7) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
4038T	KLF4 Antibody	20 ul	(H) (M) (Mk)	W
4045T	WWOX Antibody	20 ul	(H) (M)	W
40491T	M-Cadherin (D4B9L) Rabbit mAb	20 ul	(H) (M)	W IP IF-IC IF-F
4053T	PKM2 (D78A4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
4058T	Phospho-Akt (Ser473) (193H12) Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC
4060T	Phospho-Akt (Ser473) (D9E) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (Dm) (Z) (B)	IHC-P W F IP IF-IC
4068T	Pan-Cadherin Antibody	20 ul	(H) (M) (Mk) (Dm) (Z) (B)	IHC-P W IP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
4073T	Pan-Cadherin (28E12) Rabbit mAb	20 ul	(H) (M)	W
4101T	CDK8 (G398) Antibody	20 ul	(H) (M) (Mk)	W
4106T	CDK8 (P455) Antibody	20 ul	(H) (M) (Mk)	W
4107T	HSL Antibody	20 ul	(H) (M)	W IP IF-IC
4120T	Microcephalin-1/BRIT1 (D38G5) Rabbit mAb	20 ul	(H) (M) (Mk)	W
4123T	TIF1B Antibody	20 ul	(H) (M) (Mk)	W IP IF-IC
4124T	TIF1B (C42G12) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
4127T	Phospho-TIF1B (Ser824) Antibody	20 ul	(H)	W
4129T	Cyclin E1 (HE12) Mouse mAb	20 ul	(H) (Mk)	W
4132T	Cyclin E2 Antibody	20 ul	(H)	W
4137T	Phospho-HSL (Ser565) Antibody	20 ul	(M)	W IF-IC
4138T	Cyclin B1 Antibody	20 ul	(H) (M) (Hm) (Mk)	W IF-IC
4147T	Cleaved Notch1 (Val1744) (D3B8) Rabbit mAb	20 ul	(H) (M)	W IP ChIP
4148T	AMPKB2 Antibody	20 ul	(H) (M) (Mk)	W IP
4150T	AMPKB1/2 (57C12) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	IHC-P W F IF-IC
4151T	ADAM9 (D64B5) Rabbit mAb	20 ul	(H) (M) (Mk)	W
4165T	Pim-3 (D17C9) Rabbit mAb	20 ul	(H) (M)	W
4168T	Phospho-TrkA (Tyr785)/TrkB (Tyr816) (C67C8) Rabbit mAb	20 ul	(H)	W
4176T	Phospho-B-Catenin (Ser675) (D2F1) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC IF-F
4178T	AMPKB1 (71C10) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (Pg)	W
4179T	a-Synuclein (D37A6) XP Rabbit mAb	20 ul	(M)	IHC-P W IP IF-F
4180T	Atg12 (D88H11) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
4187T	AMPKy1 Antibody	20 ul	(H) (Mk)	W
4191T	Phospho-Stathmin (Ser38) (D19H10) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IP IF-IC
4199T	Cleaved Caspase-1 (Asp297) (D57A2) Rabbit mAb	20 ul	(H)	W IP
42078T	ABCG2 (D5V2K) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP
4211T	Parkin (Prk8) Mouse mAb	20 ul	(H) (M)	W IP
4217T	USP28 Antibody	20 ul	(M)	W
4223T	Bcl-2 (D55G8) Rabbit mAb (Human Specific)	20 ul	(H)	W IP
4228T	Phospho-PI3 Kinase p85 (Tyr458)/p55 (Tyr199) Antibody	20 ul	(M)	W IP
4233T	Fas (C18C12) Rabbit mAb	20 ul	(H)	IHC-P W
4241T	CHD3 Antibody	20 ul	(H) (M) (Mk)	W IP
42427T	Helios (D8W4X) XP Rabbit mAb	20 ul	(H) (M)	W F IP ChIP ChIP-seq
4243T	Acetyl-Histone H3 (Lys56) Antibody	20 ul	(H) (M) (Mk)	W
4249T	PI3 Kinase p110a (C73F8) Rabbit mAb	20 ul	(H) (M) (B)	W IP
4256T	MLH1 (D38G9) Rabbit mAb	20 ul	(H) (Mk)	W IP
4257T	PI3 Kinase p85 (19H8) Rabbit mAb	20 ul	(H) (M)	W IP
4266T	SOD1 (71G8) Mouse mAb	20 ul	(H)	W IP
4267T	EGF Receptor (D38B1) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC IHC-Bond
4272T	Cytochrome c Antibody	20 ul	(H) (M) (Mk) (Dm)	IHC-P W
4280T	Cytochrome c (136F3) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
4281T	Phospho-Myt1 (Ser83) Antibody	20 ul	(H)	W

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
4282T	Myt1 Antibody	20 ul	(H) (M)	IHC-P W
4290T	HER2/ErbB2 (D8F12) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
4294T	PHLDA3 Antibody	20 ul	(H) (M) (Mk)	W
4308T	Tuberin/TSC2 (D93F12) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	W F IP IF-IC
4319T	Mer (D21F11) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
4322T	Phospho-Stat5 (Tyr694) (D47E7) XP Rabbit mAb	20 ul	(H) (M)	W F IF-IC
4331T	Phospho-ATP-Citrate Lyase (Ser455) Antibody	20 ul	(H) (M)	W IP
4336T	AML1 (D33G6) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IF-IC
4337T	GSK-3a (D80E6) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	W IP
43514T	CD141/Thrombomodulin (E7Y9P) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IHC-Bond
4353T	Acetyl-Histone H3 (Lys27) Antibody	20 ul	(H) (M) (Mk)	W IP ChIP
4355T	ACE2 Antibody	20 ul	(H)	W IP
43566T	LC3B (E7X4S) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-IC
4356T	HSF1 Antibody	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC ChIP
4357T	RagA (D8B5) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
4358T	Skp2 Antibody	20 ul	(H) (Mk)	W IF-IC
4363T	IRAK4 Antibody	20 ul	(H) (M) (Mk)	W IP
4366T	Phospho-Bad (Ser136) (D25H8) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
4367T	IRAK2 Antibody	20 ul	(H) (M) (Mk)	W
4369T	IRAK-M Antibody	20 ul	(H) (Mk)	W
4370T	Phospho-p44/42 MAPK (Erk1/2) (Thr202/Tyr204) (D13.14.4E) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (Mi) (Dm) (Z) (B) (Dg) (Pg) (Sc)	IHC-P W F IP IF-IC
4377T	Phospho-p44/42 MAPK (Erk1/2) (Thr202/Tyr204) (197G2) Rabbit mAb	20 ul	(H) (M) (Mk) (Mi) (Dm) (Z) (Pg)	W F IF-IC
4380T	Notch1 (D6F11) XP Rabbit mAb	20 ul	(H) (M)	W F IF-IC
4384T	c-Fos Antibody	20 ul	(H) (M)	W
43916T	NG2/CSPG4 (E3B3G) XP Rabbit mAb	20 ul	(H)	IHC-P W IF-IC
4392T	PIAS4 (D2F12) Rabbit mAb	20 ul	(H) (Mk)	W
4402T	FoxP1 (D35D10) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP ChIP
44059T	TBP (D5C9H) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP ChIP ChIP-seq
4406T	Phospho-Jak2 (Tyr1007) (D15E2) Rabbit mAb	20 ul	(H) (M)	W
44263T	Ly6k (E4K8Y) XP Rabbit mAb	20 ul	(M)	IHC-P W IP IHC-Bond
4432T	A-Raf Antibody	20 ul	(H) (M)	W IP
4441T	Phospho-Stat2 (Tyr690) Antibody	20 ul	(H)	W
4443T	CD3E (CD3-12) Rat mAb	20 ul	(H) (M)	W IP
4465T	Keratin 7 (D1E4) XP Rabbit mAb	20 ul	(H)	W F IF-IC
4470T	RagD Antibody	20 ul	(H)	W
4473T	Pan-Methyl-Histone H3 (Lys9) (D54) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP ChIP
4499T	Histone H3 (D1H2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
4500T	Phospho-CYLD (Ser418) Antibody	20 ul	(H)	W
4502T	IRS-2 Antibody	20 ul	(H) (M)	W
4511T	Phospho-p38 MAPK (Thr180/Tyr182) (D3F9) XP Rabbit mAb	20 ul	(H) (M) (Mk) (Mi) (Pg) (Sc)	IHC-P W F IP IF-IC
4513T	PLK1 (208G4) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
4514T	Phospho-SEK1/MKK4 (Ser257) (C36C11) Rabbit mAb	20 ul	(H) (M) (Mk)	W F
45208T	TIM-3 (D5D5R(TM)) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP IHC-Bond
4526T	Phospho-ATM (Ser1981) (10H11.E12) Mouse mAb	20 ul	(H)	W
4530T	Notch2 (D67C8) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
4539T	Phospho-cdc2 (Tyr15) (10A11) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC
4543T	Keratin 17 (D73C7) Rabbit mAb	20 ul	(H) (M)	W F IF-IC
4545T	Pan-Keratin (C11) Mouse mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
4546T	Keratin 8/18 (C51) Mouse mAb	20 ul	(H) (Mk)	IHC-P W F IF-IC
4547T	Phospho-PDGF Receptor a (Tyr1018) Antibody	20 ul	(H) (M)	W
4548T	Keratin 18 (DC10) Mouse mAb	20 ul	(H)	IHC-P W F IF-IC
4549T	Phospho-PDGF Receptor B (Tyr751) (C63G6) Rabbit mAb	20 ul	(H) (M)	W
45533T	LAT (E3U6J) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP
45581T	CD11c (D3V1E) XP Rabbit mAb	20 ul	(H)	IHC-P W IF-IC IHC-Bond
4558T	Keratin 19 (BA17) Mouse mAb	20 ul	(H)	IHC-P W
4563T	Phospho-MYPT1 (Thr853) Antibody	20 ul	(H) (M) (Hm) (Mk) (Dg)	W
4592T	Bik Antibody	20 ul	(H)	W
4599T	LC3A (D50G8) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
4602T	DNA-PKcs Antibody	20 ul	(H)	W
4603T	TrkB (80E3) Rabbit mAb	20 ul	(H) (M)	W
4619T	Phospho-TrkA (Tyr490)/TrkB (Tyr516) (C35G9) Rabbit mAb	20 ul	(H)	W IP
4621T	Phospho-TrkA (Tyr674/675)/TrkB (Tyr706/707) (C50F3) Rabbit mAb	20 ul	(H)	W IP
4634T	Phospho-ULK1 (Ser467) Antibody	20 ul	(M)	W
46449T	Rab5A (E6N8S) Mouse mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC
4650T	Vinculin Antibody	20 ul	(H) (M) (Mk) (Dg)	W
4651T	Rac1/Cdc42 Antibody	20 ul	(H) (M) (Mk)	W
46535T	SMAD4 (D3R4N) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC ChIP ChIP-seq IHC-Bond
4655T	TESK1 (D49D4) Rabbit mAb	20 ul	(H)	W IP
4656T	Cyclin A2 (BF683) Mouse mAb	20 ul	(H)	W
4657T	Vav1 (D45G3) Rabbit mAb	20 ul	(H)	W IP
4658T	Di-Methyl-Histone H3 (Lys9) (D85B4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP
4661T	VDAC (D73D12) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
4666T	WRN (8H3) Mouse mAb	20 ul	(H) (M)	W
46687T	Tau (D1M9X) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-IC IF-F
4668T	Phospho-SAPK/JNK (Thr183/Tyr185) (81E11) Rabbit mAb	20 ul	(H) (M) (Dm) (Sc)	IHC-P W IP
4676T	AMPA Receptor 3 (GluA 3) (D47E3) Rabbit mAb	20 ul	(H) (M)	W IP
4686T	Chronophin/PDXP (C85E3) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (B)	W
4688T	cdc25C (5H9) Rabbit mAb	20 ul	(H)	W

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
4691T	Akt (pan) (C67E7) Rabbit mAb	20 ul	(H) (M) (Mk) (Dm)	IHC-P W F IP IF-IC
4695T	p44/42 MAPK (Erk1/2) (137F5) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (Mi) (Dm) (Z) (B) (Dg) (Pg) (Ce)	IHC-P W F IP IF-IC
47043T	Phospho-Glycogen Synthase (Ser641) (D4H1B) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
4705T	Integrin α5 Antibody	20 ul	(H) (M) (Mk)	W
4711T	Integrin αV Antibody	20 ul	(H)	W IP
4712T	TRAF2 Antibody	20 ul	(H) (M) (Mk)	W
4715T	TRAF1 (45D3) Rabbit mAb	20 ul	(H)	IHC-P W F IP IF-IC
4717T	NF-κB1 p105 Antibody	20 ul	(H) (M) (Mk) (Mi) (B) (Pg)	W IP
4718T	Aurora A/AIK (1G4) Rabbit mAb	20 ul	(H) (Mk)	W IF-IC
4724T	TRAF2 (C192) Antibody	20 ul	(H) (M) (Mk)	W IP
4727T	c-Rel Antibody	20 ul	(H)	IHC-P W IP
4729T	TRAF3 Antibody	20 ul	(H) (M) (Mk)	W IP
4730T	Pim-2 (D1D2) Rabbit mAb	20 ul	(H)	W IP
47310T	S100A8 (E4F8V) XP Rabbit mAb	20 ul	(M)	IHC-P W IHC-Bond
4731T	ORC1 (7A7) Rat mAb	20 ul	(H) (M) (Hm)	W
4738T	ARP3 Antibody	20 ul	(H) (Mk)	W
4746T	TRA-1-60(S) (TRA-1-60(S)) Mouse mAb	20 ul	(H)	IHC-P W F IF-IC
4755T	SSEA4 (MC813) Mouse mAb	20 ul	(H)	F IF-IC
4757T	Phospho-HER4/ErbB4 (Tyr1284) (21A9) Rabbit mAb	20 ul	(H)	W
4758T	DcR3 Antibody	20 ul	(H)	W
4760T	Nestin (Rat-401) Mouse mAb	20 ul		IHC-P IF-F
4764T	NF-κB p65 (C22B4) Rabbit mAb	20 ul	(H) (M) (Mk) (B)	W F IF-IC
4771T	Acetyl-CBP (Lys1535)/p300 (Lys1499) Antibody	20 ul	(H) (M) (Mk)	W IP ChIP
4773T	ULK1 (R600) Antibody	20 ul	(H) (Mk)	W
47744T	IGFBP7 (E3Z8L) XP Rabbit mAb	20 ul	(H) (M)	IHC-P
4776T	ULK1 (A705) Antibody	20 ul	(H)	W
4777T	Lamin A/C (4C11) Mouse mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC IF-F
4786T	Ubc9 (D26F2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC
4790T	Caspase-8 (D35G2) Rabbit mAb	20 ul	(H) (M)	W
4793T	CDC37 (D11A3) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
47948T	CD248 (E9Z7O) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IF-IC IHC-Bond
4795T	HER4/ErbB4 (111B2) Rabbit mAb	20 ul	(H) (M)	W IP
4796T	Clathrin Heavy Chain (D3C6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
4810T	Phospho-NF-κB2 p100 (Ser866/870) Antibody	20 ul	(H) (M)	W IP
4813T	USP18 (D4E7) Rabbit mAb	20 ul	(H)	W IP
4814T	IκBa (L35A5) Mouse mAb (Amino-terminal Antigen)	20 ul	(H) (M) (Mk) (B) (Pg)	IHC-P W F IP IF-IC
4833T	HAUSP (D17C6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC
4847T	Mre11 (31H4) Rabbit mAb	20 ul	(H)	IHC-P W IP IHC-F
4848T	N-WASP (30D10) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (B)	W IP
4850T	COX IV (3E11) Rabbit mAb	20 ul	(H) (Mk) (Z) (B) (Pg)	IHC-P W F IP IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
4858T	Phospho-S6 Ribosomal Protein (Ser235/236) (D57.2.2E) XP Rabbit mAb	20 ul	(H) (M) (Mk) (Mi) (Sc)	IHC-P W F IF-IC IHC-F
4859T	Phospho-Mre11 (Ser676) Antibody	20 ul	(H)	W
4866T	VDAC Antibody	20 ul	(H) (M) (B)	IHC-P W
4871T	HSP40 (C64B4) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
4872T	HSP70 Antibody	20 ul	(H) (M) (Mk) (B)	IHC-P W
48750T	CD20 (E7B7T) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IHC-Bond
4877T	HSP90 (C45G5) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
4882T	NF-kB2 p100/p52 Antibody	20 ul	(H) (M) (Mk)	W IP
4901T	Phospho-cdc25C (Ser216) (63F9) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IP
4903T	Nanog (D73G4) XP Rabbit mAb	20 ul	(H)	IHC-P W F IF-IC
4904T	Stat3 (79D7) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP ChIP
4909T	Tri-Methyl-Histone H3 (Lys36) (D5A7) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC ChIP
4910T	Phospho-Wee1 (Ser642) (D47G5) Rabbit mAb	20 ul	(H)	W IP
4922T	RelB (C1E4) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
4923T	Non-phospho-4E-BP1 (Thr46) (87D12) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IF-IC
4927T	Caspase-8 Antibody (Mouse Specific)	20 ul	(M)	W
4930T	SUMO-1 Antibody	20 ul	(H) (M) (Mk)	IHC-P W IF-IC
4933T	Claudin-1 Antibody	20 ul	(H)	W IP
49360T	Brg1 (D1Q7F) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP ChIP ChIP-seq
4941T	Phospho-PBK/TOPK (Thr9) Antibody	20 ul	(H)	W
49420T	CD11b/ITGAM (D6X1N) Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
4942T	PBK/TOPK Antibody	20 ul	(H) (M)	IHC-P W
4953T	PP2A B Subunit Antibody	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
4958T	SLP-76 Antibody	20 ul	(H) (M)	W IP
4970T	B-Actin (13E5) Rabbit mAb	20 ul	(H) (M) (Mk) (B) (Pg)	IHC-P W F IF-IC
4971T	SUMO-2/3 (18H8) Rabbit mAb	20 ul	(H) (M)	W IF-IC
4976T	Puma Antibody	20 ul	(H)	W
4980T	Csk (C74C1) Rabbit mAb	20 ul	(H) (M) (Mk) (Pg)	W
4991T	Phospho-VEGF Receptor 2 (Tyr951) (15D2) Rabbit mAb	20 ul	(H) (M)	IHC-P W
4994T	NIK Antibody	20 ul	(H) (M)	W
4997T	UBC3 Antibody	20 ul	(H) (M)	W F
5019T	ASH2L (D93F6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
5023T	Bax (D2E11) Rabbit mAb	20 ul	(H)	IHC-P W IP
5025T	Phospho-RelB (Ser552) (D41B9) XP Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC
5030T	MEF2C (D80C1) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
5031T	Phospho-Jak3 (Tyr980/981) (D44E3) Rabbit mAb	20 ul	(H) (M)	W
5032T	DNMT1 (D63A6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IF-IC
5033T	ERp72 (D70D12) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IF-IC
5053T	Argonaute 1 (D84G10) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
5082T	Phospho-Btk (Tyr223) Antibody	20 ul	(H)	W
50907T	Phospho-STING (Ser366) (E9A9K) Rabbit mAb	20 ul	(H)	W F IP IF-IC
51000T	CD38 (E7Z8C) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
5113T	HDAC2 (3F3) Mouse mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
5114T	SQSTM1/p62 Antibody	20 ul	(H) (M) (Mk)	W
5118T	Rab9A (D52G8) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
5128T	TCTP (D10F2) Rabbit mAb	20 ul	(H) (M) (Mk)	W
5147T	SRF (D71A9) XP Rabbit mAb	20 ul	(H) (M) (Mk) (Pg)	W IP ChIP
5153T	Androgen Receptor (D6F11) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP IF-IC ChIP ChIP-seq
5163T	Phospho-MYPT1 (Thr696) Antibody	20 ul	(H) (M) (Mk)	W
5173T	Phospho-CD79A (Tyr182) Antibody	20 ul	(H)	W F IP IF-IC
5174T	GAPDH (D16H11) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IF-IC
5175T	Cofilin (D3F9) XP Rabbit mAb	20 ul	(H) (M) (Mk) (Dg)	W IF-IC
5195T	Lipin 1 Antibody	20 ul	(H) (M)	W IP IF-IC
5203T	AKAP1 (D9C5) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
5241T	PDGF Receptor a (D13C6) XP Rabbit mAb	20 ul	(H)	IHC-P W F IF-IC
52445T	HGF B (D6S7D) XP Rabbit mAb	20 ul	(H)	IHC-P W
5245T	STAMBP Antibody	20 ul	(H) (Mk)	W IP
5246T	Ezh2 (D2C9) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC IF-F ChIP ChIP-seq C&R
52508T	Geminin (E5Q9S) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IP IF-IC
5276T	Notch3 (D11B8) Rabbit mAb	20 ul	(H)	W IP
5281T	FRA1 (D80B4) Rabbit mAb	20 ul	(H)	W IP
5284T	Phospho-Bad (Ser112) (40A9) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F
5286T	Phospho-Bad (Ser136) (185D10) Rabbit mAb	20 ul	(M) (Mk)	W
5297T	Synapsin-1 (D12G5) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-F
5306T	AMPA Receptor 2 (GluA2) (D39F2) Rabbit mAb	20 ul	(H) (M)	W
53108T	Semaphorin-4D/CD100 (E5C3B) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IHC-Bond
5313T	RBPSUH (D10A4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W ChIP
5318T	AIF (D39D2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC IF-F
5321T	MDA-5 (D74E4) Rabbit mAb	20 ul	(H) (M)	W IP
5324T	eIF2a (D7D3) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
5326T	Mono-Methyl-Histone H3 (Lys4) (D1A9) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IF-IC ChIP ChIP-seq
5327T	Di/Tri-Methyl-Histone H3 (Lys9) (6F12) Mouse mAb	20 ul	(H) (M) (Mk)	W IP IF-IC ChIP
5332T	Desmin (D93F5) XP Rabbit mAb	20 ul	(H) (M)	W IF-IC IF-F
53348T	Phospho-Histone H3 (Ser10) (D7N8E) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP
5335T	Acetyl-a-Tubulin (Lys40) (D20G3) XP Rabbit mAb	20 ul	(H) (M) (Mk) (Z)	W F IP IF-IC IF-F
5339T	Smad2 (D43B4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP
5348T	Phospho-c-Fos (Ser32) (D82C12) XP Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC IF-F ChIP ChIP-seq
5356T	HDAC1 (10E2) Mouse mAb	20 ul	(H) (M) (Mk)	W IP
5361T	JARID1C (D29B9) Rabbit mAb	20 ul	(H) (M)	W IP
5362T	Dicer (D38E7) Rabbit mAb	20 ul	(H)	W IP
5364T	Phospho-S6 Ribosomal Protein (Ser240/244) (D68F8) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
5365T	PSA/KLK3 (D6B1) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC
5377T	JMJD1B (6A1-1F5) Mouse mAb	20 ul	(H) (M) (Mk)	W IP IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
5391T	DRP1 (D8H5) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
5392T	HDAC4 (4A3) Mouse mAb	20 ul	(H) (M) (Mk)	W IP
5405T	PI3 Kinase p110y (D55D5) Rabbit mAb	20 ul	(H) (M)	W IP
5416T	DDB-2 (D4C4) Rabbit mAb	20 ul	(H) (M)	W
5427T	Di-Methyl-Histone H3 (Lys79) (D15E8) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W ChIP
5431T	Phospho-SHP-2 (Tyr580) (D66F10) Rabbit mAb	20 ul	(M)	W F IP
54330T	Galectin-9 (D9R4A) XP Rabbit mAb	20 ul	(H)	IHC-P W F IHC-Bond
54359T	EGF Receptor (D1D4J) XP Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC
5436T	FoxM1 (D12D5) XP Rabbit mAb	20 ul	(H)	W IF-IC
54535T	TNFRSF8/CD30 (E4L4I) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP
5453T	Mcl-1 (D35A5) Rabbit mAb	20 ul	(H) (M) (Mk)	W
5461T	Synaptophysin (D35E4) Rabbit mAb	20 ul	(H) (M)	W IP
5466T	RagC (D31G9) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
5471T	Livin (D61D1) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
5472T	Phospho-PLK1 (Thr210) Antibody	20 ul	(H)	W
5482T	Phospho-NDRG1 (Thr346) (D98G11) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
5483T	Phospho-TBK1/NAK (Ser172) (D52C2) XP Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC
54979T	VISTA (D5L5T) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC IF-F IHC-Bond
55003T	Arginase-2 (D9J1N) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP
5521T	14-3-3 h (D23B7) Rabbit mAb	20 ul	(H) (M) (Mk) (B) (Pg)	W
5528T	RSK2 (D21B2) XP Rabbit mAb	20 ul	(H) (M) (Mk) (B) (Pg)	IHC-P W F IF-IC
5536T	Phospho-mTOR (Ser2448) (D9C2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
5537T	HIF-1B/ARNT (D28F3) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP ChIP ChIP-seq
5546T	Ubiquityl-Histone H2B (Lys120) (D11) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC ChIP
55506T	Cyclin D1 (E3P5S) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC IHC-Bond
5554T	CHOP (D46F1) Rabbit mAb	20 ul	(M)	W IP
5558T	Phospho-GSK-3B (Ser9) (D85E12) XP Rabbit mAb	20 ul	(H) (M) (Hm)	W F IP IF-IC
5568T	B3-Tubulin (D71G9) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC IF-F
5583T	DDR1 (D1G6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC
5584T	Phospho-Tuberin/TSC2 (Ser1387) Antibody	20 ul	(H) (M) (Mk)	W IP
5589T	Rab11 (D4F5) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
5601T	BIG-H3 (D31B8) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
5605T	c-Myc (D84C12) Rabbit mAb	20 ul	(H) (M)	W F IF-IC
5606T	BACE (D10E5) Rabbit mAb	20 ul	(H) (M)	W IP IF-IC IF-F
5607T	MARCKS (D88D11) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IF-IC
5625T	Cleaved PARP (Asp214) (D64E10) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IP IF-IC
5629T	RXRy Antibody	20 ul	(H) (M)	W IP
5630T	A20/TNFAIP3 (D13H3) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
5632T	Toll-like Receptor 7 (D7) Rabbit mAb	20 ul	(H)	W IP
5643T	Presenilin 1 (D39D1) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
5647T	MTA1 (D40D1) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
5651T	Phospho-B-Catenin (Ser552) (D8E11) Rabbit mAb	20 ul	(H) (M)	W IP
5661T	Phospho-PKA C (Thr197) (D45D3) Rabbit mAb	20 ul	(H) (M) (Mk)	W
5664T	CNPase (D83E10) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-F
5665T	Nicastrin (D38F9) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	W
5666T	B3-Tubulin (D65A4) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP
56750T	Glutaminase-1/GLS1 (E9H6H) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IP
5676T	GSK-3a/B (D75D3) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	W IP
5679T	Pdx1 (D59H3) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC IF-F
5683T	PERK (D11A8) Rabbit mAb	20 ul	(H)	IHC-P W IP
5684T	EAAT1 (D44E2) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-F
5689T	PPP2R2A (2G9) Mouse mAb	20 ul	(H) (M) (Mk)	W IP
5690T	PLCy1 (D9H10) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
5694T	RING1B (D22F2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP ChIP-seq C&R
5732T	Notch2 (D76A6) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC
5741T	Vimentin (D21H3) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
5751T	USP9X Antibody	20 ul	(H) (M) (Mk) (Dg)	W
5753T	Phospho-Smad1 (Ser206) (D40B7) Rabbit mAb	20 ul	(H)	W IP
57868T	DNMT3B (E8A8A) XP Rabbit mAb	20 ul	(H) (Mk)	W F IP IF-IC ChIP
5831T	AMPKa (D5A2) Rabbit mAb	20 ul	(H) (M) (Mk) (B)	W IP
5832T	AMPKa (D63G4) Rabbit mAb	20 ul	(H) (M) (Mk) (B)	W IP
5841T	Phospho-FRA1 (Ser265) (D22B1) Rabbit mAb	20 ul	(H) (M)	W ChIP
5842T	PKA C-a (D38C6) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	W IP
5843T	GAD2 (D5G2) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-F
5845T	Toll-like Receptor 9 (D2C9) Rabbit mAb	20 ul	(H)	W IP
5851T	GATA-6 (D61E4) XP Rabbit mAb	20 ul	(H)	W F IF-IC ChIP ChIP-seq C&R
5852T	GATA-3 (D13C9) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC ChIP
5861T	NFAT1 (D43B1) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC
5869T	Phospho-ULK1 (Ser555) (D1H4) Rabbit mAb	20 ul	(H) (M)	W IP
5883T	Phospho-ATM (Ser1981) (D6H9) Rabbit mAb	20 ul	(H)	W
5888T	LATS2 (D83D6) Rabbit mAb	20 ul	(H)	W
59212T	IFITM3 (D8E8G) XP Rabbit mAb	20 ul	(H)	IHC-P W IP
5933T	DJ-1 (D29E5) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	W IP IF-IC
5940T	Mili (D14F5) XP Rabbit mAb	20 ul	(M)	IHC-P W IP IF-F
59854T	Catenin d-1 (D7S2M) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC
60061T	LAIR-1 (E7X6I) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP IF-IC IHC-Bond
61193T	MUC5AC (E3O9I) XP Rabbit mAb	20 ul	(H)	IHC-P IF-IC IHC-Bond
61451T	VAMP3 (D9S6K) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W
61559T	G3BP1 (E9G1M) XP Rabbit mAb	20 ul	(H) (Mk)	W IP IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
61637T	OX40 (E9U7O) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IHC-Bond
62434T	Napsin A (D5P6G) XP Rabbit mAb	20 ul	(H)	IHC-P W
62834T	IRF-4 (E8H3S) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IHC-Bond
6334T	Chk2 (D9C6) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IF-IC
64718T	MLANA/MART-1 (E9Q4O) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IF-IC
6487T	a-Actinin (D6F6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC
64952T	EGF Receptor vIII (D6T2Q) XP Rabbit mAb	20 ul	(H)	IHC-P IF-IC
64953T	VISTA (D1L2G(TM)) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IHC-Bond
64988T	PD-L1 (D5V3B) Rabbit mAb (Mouse Specific; IHC Specific)	20 ul	(M)	IHC-P IHC-Bond
65647T	TMOD1 (E7E3A) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
65707T	VWF (D8L8G) XP Rabbit mAb	20 ul	(H)	IHC-P W IP
6571T	ACO2 (D6D9) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	W IP IF-IC
65880T	ATF-6 (D4Z8V) Rabbit mAb	20 ul	(H) (M)	W IP
65939T	RRM2 (E7Y9J) XP Rabbit mAb	20 ul	(H)	IHC-P W IF-IC
66631T	DNAM-1/CD226 (E8L9G) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
67138T	DPP4/CD26 (D6D8K) Rabbit mAb	20 ul	(H)	W IP IF-IC
67259T	DNMT3B (D7O7O) Rabbit mAb	20 ul	(H)	W IP IF-IC
67455T	CSF-1R/M-CSF-R (D3O9X) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC
67648T	Ras (E8N8L) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
67824T	ASC/TMS1 (D2W8U) Rabbit mAb (Mouse Specific)	20 ul	(M)	IHC-P W F IP IF-IC IF-F
67836T	CD54/ICAM-1 (E3Q9N) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
68014T	GITR (D9I9D) Rabbit mAb (IHC Preferred)	20 ul	(H)	IHC-P W IHC-Bond
6882T	RBAP46 (V415) Antibody	20 ul	(H) (M) (Mk)	W IP IF-IC
68851T	G9a/EHMT2 (D5R4R) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC ChIP
6888T	Phospho-ULK1 (Ser757) Antibody	20 ul	(H) (M) (Mk)	W
6892T	SMC1 (8E6) Mouse mAb	20 ul	(H) (M) (Mk)	W
69399T	Dynactin p150Glued (D1W1O) Rabbit mAb	20 ul	(H) (M)	IHC-P W IP
6943T	Phospho-Src Family (Tyr416) (D49G4) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
6944T	Smad1 (D59D7) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP ChIP
6946T	PINK1 (D8G3) Rabbit mAb	20 ul	(H)	W IP
6947T	Bak (D2D3) Rabbit mAb	20 ul	(H) (Mk)	W IP
6956T	NF-kB p65 (L8F6) Mouse mAb	20 ul	(H) (M) (Hm) (Mk) (Mi) (B) (Dg) (Pg)	IHC-P W F IP IF-IC ChIP
6964T	Bmi1 (D20B7) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IP IF-IC ChIP
69661T	Sox10 (E6B6I) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IHC-Bond
6975T	Rab8A (D22D8) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
6978T	TACE (D22H4) Rabbit mAb	20 ul	(H)	W
6997T	EphA2 (D4A2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC
6998T	DDB-1 (D4C8) Rabbit mAb	20 ul	(H) (M) (Mk)	W
70076T	F4/80 (D2S9R) XP Rabbit mAb	20 ul	(M)	IHC-P W IP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
70109T	Jagged1 (D4Y1R) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP
70512T	ZEB1 (E2G6Y) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC IHC-Bond
7065T	c-IAP1 (D5G9) Rabbit mAb	20 ul	(H)	W IP
7067T	PKM1 (D30G6) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC IF-F
71433T	FAK (D5O7U) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IF-IC IHC-Bond
71536T	Keratin 5 (E2T4B) XP Rabbit mAb (IHC Preferred)	20 ul	(H) (M)	IHC-P IHC-Bond
72026T	COL1A1 (E8F4L) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-IC IF-F IHC-Bond
72364T	SS18-SSX (E9X9V) XP Rabbit mAb	20 ul	(H)	IHC-P W IP ChIP ChIP-seq IHC-Bond
7237T	Cleaved Caspase-9 (Asp330) (D2D4) Rabbit mAb	20 ul	(H)	W IP
72804T	TAZ (E9J5A) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP ChIP IHC-Bond
73271T	RIP (E8S7U) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IF-IC
73382T	Phospho-Zap-70 (Tyr319)/Syk (Tyr352) (65E4) Rabbit mAb (Alexa Fluor 488 Conjugate)	20 ul	(H) (M)	F
74775T	Pontin/RUVBL1 (D1L8J) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W ChIP
75484T	TIM-4 (D3W4F) XP Rabbit mAb	20 ul	(H)	IHC-P W F IHC-Bond
7558T	HDAC6 (D2E5) Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IP IF-IC
7627T	Acetyl-Histone H3 (Lys14) (D4B9) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP
7628T	HDAC4 (D15C3) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
7631T	Histone H2A.X (D17A3) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
76384T	Phospho-SLP-76 (Ser376) (E3G9U) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IHC-Bond
76437T	CD68 (D4B9C) XP Rabbit mAb	20 ul	(H)	IHC-P F IF-IC
7649T	Phospho-Stat1 (Tyr701) (D4A7) Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC ChIP ChIP-seq
77274T	CD74 (D5N3I) XP Rabbit mAb	20 ul	(H)	IHC-P W F IF-IC
77699T	CD31 (PECAM-1) (D8V9E) XP Rabbit mAb	20 ul	(M)	IHC-P W IHC-Bond
7777T	HMG A1 (D6A4) XP Rabbit mAb	20 ul	(H) (Mk)	W IP IF-IC
78588T	CD3E (E4T1B) XP Rabbit mAb	20 ul	(M)	IHC-P W IP IF-F IHC-Bond
78896T	Myelin Basic Protein (D8X4Q) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-IC IF-F
79233T	HIF-1a (D5F3M) Mouse mAb	20 ul	(H) (Mk)	W F IP IF-IC
79322T	SORL1 (D8D4G) Rabbit mAb	20 ul	(H) (M)	W IF-F
79769T	HLA-G (E8N9C) XP Rabbit mAb	20 ul	(H)	IHC-P W
79832T	AAK1 Antibody	20 ul	(H) (M)	W IP
8018T	Akt3 (L47B1) Mouse mAb	20 ul	(H) (M) (Hm)	W
8025T	SQSTM1/p62 (D5E2) Rabbit mAb	20 ul	(H) (Mk)	W IP
8028T	TRAF6 (D21G3) Rabbit mAb	20 ul	(H) (Mk)	W IP
8033T	USP1 (D37B4) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
8054T	ULK1 (D8H5) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
8070T	AMPA Receptor 4 (GluA 4) (D41A11) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-F
8074T	DR5 (D4E9) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
80772T	p16 INK4A (D7C1M) Rabbit mAb	20 ul	(H)	W F IP
80788T	GFAP (E4L7M) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-F
8084T	Phospho-AMPA Receptor 1 (GluA1) (Ser845) (D10G5) Rabbit mAb	20 ul	(H) (M)	W IP
8089T	Atg16L1 (D6D5) Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
8127T	Rab10 (D36C4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
81284T	ADAR1 (E6X9R) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IP IF-IC
8141T	UCHL3 (D25E6) Rabbit mAb	20 ul	(H) (M)	W
8146T	DYKDDDDK Tag (9A3) Mouse mAb (Binds to same epitope as Sigma's Anti-FLAG M2 Antibody)	20 ul		IHC-P W F IP IF-IC
8147T	Phospho-Rb (Ser608) (D10F2) Rabbit mAb	20 ul	(H)	W IP
81533T	PAF15 (D8E2Y) XP Rabbit mAb	20 ul	(H)	IHC-P W
8164T	PFKP (D4B2) Rabbit mAb	20 ul	(H) (Mk)	W IP
81692T	MUC4 B (D4W9X) XP Rabbit mAb	20 ul	(H)	IHC-P W
8173T	Acetyl-Histone H3 (Lys27) (D5E4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IF-IC ChIP ChIP-seq C&R
8178T	C/EBPa (D56F10) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC
8180T	Phospho-Rb (Ser780) (D59B7) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
8186T	FoxA2/HNF3B (D56D6) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
8193T	ZO-1 (D7D12) Rabbit mAb	20 ul	(H) (Mk)	W IP
8198T	Met (D1C2) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP IF-IC IHC-F IHC-Bond
8233T	Proglucagon (D16G10) XP Rabbit mAb	20 ul	(H) (M)	IHC-P IF-F IHC-F
8238T	p75NTR (D4B3) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
8240T	Ubiquityl-Histone H2A (Lys119) (D27C4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP
8242T	NF-kB p65 (D14E12) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (Dg)	IHC-P W F IP IF-IC ChIP ChIP-seq C&R
8243T	B-Amyloid (D54D2) XP Rabbit mAb	20 ul	(H)	W IP IF-F
82491T	MAGE-A4 (E7O1U) XP Rabbit mAb	20 ul	(H)	IHC-P W F IF-IC
82630T	Sox9 (D8G8H) Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC IHC-Bond
82723T	PD-L2 (D7U8C(TM)) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
83029T	EphB2 (D2X21) Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC
83527T	PRDM14 (E1D5S) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC ChIP ChIP-seq
83535T	WT1 (D817F) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IF-IC
83700T	NKX3.1 (D2Y1A) XP Rabbit mAb	20 ul	(H)	W IF-IC ChIP ChIP-seq
83882T	TIM-3 (D3M9R) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	IHC-P W IP IHC-Bond
83932T	Oct-4A (D6C8T) Rabbit mAb (Mouse Specific)	20 ul	(M)	W F IP IF-IC ChIP
8438T	Cleaved Caspase-7 (Asp198) (D6H1) Rabbit mAb	20 ul	(H) (M)	W F IF-IC
8440T	Integrin a4 (D2E1) XP Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC
8449T	StAR (D10H12) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
8457T	B-Actin (D6A8) Rabbit mAb	20 ul	(H) (M) (Mk) (Dm) (Z)	W F IF-IC
84580T	MFF (E5W4M) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-IC
8462T	CYLD (D1A10) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
84651T	PD-1 (D7D5W) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	IHC-P W F IP IF-IC IF-F IHC-Bond
8478T	IRF-1 (D5E4) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC IHC-Bond
8480T	B-Catenin (D10A8) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC IF-F ChIP ChIP-seq
8501T	USP10 (D7A5) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
85061T	CD3E (D7A6E(TM)) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IHC-Bond
8509T	TIAR (D32D3) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC
8516T	Phospho-Rb (Ser807/811) (D20B12) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
85322T	EED (E4L6E) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC ChIP ChIP-seq
85403T	NKCC1 (D2O8R) XP Rabbit mAb (Rodent Specific; IF Specific)	20 ul	(M)	IF-F
8556T	Phospho-FAK (Tyr397) (D20B1) Rabbit mAb	20 ul	(H)	W IP
8558T	Atg7 (D12B11) Rabbit mAb	20 ul	(H) (M)	W IP
8559T	TPX2 Antibody	20 ul	(H) (Mk)	W
8562T	FGF Receptor 4 (D3B12) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
8567T	WIPI2 Antibody	20 ul	(H) (M)	W
8576T	GOPC (D10A12) Rabbit mAb	20 ul	(H)	W
8592T	Cleaved Caspase-8 (Asp387) (D5B2) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	W F IP IF-IC
86163T	PD-1 (D4W2J) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP IHC-Bond
86298T	B-Tubulin (D3U1W) Mouse mAb	20 ul	(H) (M) (Hm) (Mk)	IHC-P W IF-IC
8637T	RRM1 (D12F12) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IF-IC
8641T	LIN28A (D1A1A) XP Rabbit mAb	20 ul	(H) (M)	W F IF-IC
8644T	Estrogen Receptor a (D8H8) Rabbit mAb	20 ul	(H)	W IP ChIP ChIP-seq
8676T	HP1B (D2F2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC ChIP ChIP-seq
86781T	CD133 (D4W4N) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
8685T	Smad2/3 (D7G7) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP ChIP-seq
8690T	p38 MAPK (D13E1) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (B) (Pg)	IHC-P W F IF-IC
8707T	MAP2 (D5G1) XP Rabbit mAb	20 ul	(M)	W IP IF-F
8714T	Phospho-HS1 (Tyr397) (D12C1) XP Rabbit mAb	20 ul	(H)	W F IF-IC
8715T	RXRβ Antibody	20 ul	(H) (M)	W IP
8722T	Phospho-MARCKS (Ser167/170) (D13E4) XP Rabbit mAb	20 ul	(H) (M)	W F IF-IC
8723T	Apaf-1 (D7G4) Rabbit mAb	20 ul	(H) (M)	W
8727T	MEK1/2 (D1A5) Rabbit mAb	20 ul	(H) (M) (Mk) (Dm)	W F IF-IC
8728T	USP8 Antibody	20 ul	(H) (Mk)	W IP
8729T	SUV39H1 (D11B6) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
8746T	XPB (2C6) Mouse mAb	20 ul	(H) (M) (Mk)	W IP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
8757T	Progesterone Receptor A/B (D8Q2J) XP Rabbit mAb	20 ul	(H)	IHC-P W F IP IF-IC ChIP ChIP-seq
8768T	Stat3a (D1A5) XP Rabbit mAb	20 ul	(H) (M) (Hm) (Mk)	IHC-P W IP IF-IC ChIP
8822T	Nanog (D2A3) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	W F IP IF-IC ChIP ChIP-seq
8824T	Myosin IIb (D8H8) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC
8827T	Jak3 (D1H3) Rabbit mAb	20 ul	(H)	W IP
8842T	Phospho-TACC3 (Ser558) (D8H10) XP Rabbit mAb	20 ul	(H)	W IF-IC
88439T	53BP1 (E7N5D) XP Rabbit mAb	20 ul	(H)	IHC-P W IF-IC
8869T	Phospho-c-Cbl (Tyr700) (D16D7) Rabbit mAb	20 ul	(H)	W IP
89199T	SLP-2 (D2I9X) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
89241T	Neutrophil Elastase (E9C9L) XP Rabbit mAb	20 ul	(H)	W F IP IF-IC
89356T	Sox10 (D5V9L) Rabbit mAb	20 ul	(H)	W IP IF-IC
8965T	RARy1 (D3A4) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC
8969T	Apaf-1 (D5C3) Rabbit mAb	20 ul	(H) (M)	W IP
8970T	PAX5 (D19F8) XP Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC
8975T	LAMTOR1/C11orf59 (D11H6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC
9009T	Phospho-BRCA1 (Ser1524) Antibody	20 ul	(H)	W
9010T	BRCA1 Antibody	20 ul	(H)	W IP
90176T	CD19 (Intracellular Domain) (D4V4B) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IHC-Bond
9018T	Phospho-Akt1 (Ser473) (D7F10) XP Rabbit mAb (Akt1 Specific)	20 ul	(H) (M)	W F IP IF-IC
9027T	Ki-67 (D2H10) Rabbit mAb (IHC Specific)	20 ul	(H)	IHC-P
9040T	Rad18 (D2B8) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
9042T	PIAS3 (D5F9) XP Rabbit mAb	20 ul	(H)	W IP IF-IC
9043T	MAG (D4G3) XP Rabbit mAb	20 ul	(H) (M)	W IP IF-F
9045T	Thymidylate Synthase (D5B3) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC
9091T	LAMP1 (D2D11) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W F IP IF-IC
91068T	TREM2 (D8I4C) Rabbit mAb	20 ul	(H)	W IP IF-IC
9111T	Phospho-cdc2 (Tyr15) Antibody	20 ul	(H) (M) (Mk) (Dm) (X) (Sc)	W IP
91138T	Lamellipodin (D8A2K) Rabbit mAb	20 ul	(H)	W IF-IC
9116T	cdc2 (POH1) Mouse mAb	20 ul	(H) (Mk)	W IP IF-IC
9129T	Ki-67 (D3B5) Rabbit mAb	20 ul	(H) (M)	F IF-IC IF-F
9134T	Phospho-Stat3 (Ser727) Antibody	20 ul	(H) (M)	W IP ChIP
9139T	Stat3 (124H6) Mouse mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC ChIP
9145T	Phospho-Stat3 (Tyr705) (D3A7) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC ChIP ChIP-seq IHC-Bond
9149T	SMG-1 (D42D5) Rabbit mAb	20 ul	(H) (Mk)	W IP
9154T	Phospho-MEK1/2 (Ser217/221) (41G9) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
9165T	c-Jun (60A8) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC ChIP ChIP-seq
9172T	Stat1 Antibody	20 ul	(H) (M) (Mk)	W IP ChIP

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
9188T	PTEN (D4.3) XP Rabbit mAb	20 ul	(H) (M) (Mk) (Dg)	IHC-P W IP
9189T	ACSL1 (D2H5) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
91952T	Phospho-c-Jun (Ser63) (E617P) XP Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC ChIP
9197T	CREB (48H2) Rabbit mAb	20 ul	(H) (M) (Mk) (Dm)	IHC-P W F IP IF-IC IF-F ChIP ChIP-seq C&R
9208T	Phospho-p70 S6 Kinase (Ser371) Antibody	20 ul	(H) (M) (Mk)	W
9218T	p38a MAPK Antibody	20 ul	(H) (M) (Mk)	W IP
9234T	Phospho-p70 S6 Kinase (Thr389) (108D2) Rabbit mAb	20 ul	(H) (M) (Mk)	W
9239T	Bad (D24A9) Rabbit mAb	20 ul	(H) (M) (Mk)	W
92479T	Asparagine Synthetase (E6C2C) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP
9252T	SAPK/JNK Antibody	20 ul	(H) (M) (Hm) (Mk) (Z) (B) (Sc)	W
9258T	JNK2 (56G8) Rabbit mAb	20 ul	(H) (M) (Hm) (Mk) (Mi)	W
92635T	Calretinin (E7R6O) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IF-IC IF-F
92711T	Phospho-SLP-76 (Ser376) (D7S1K) Rabbit mAb	20 ul	(H)	W F
9271T	Phospho-Akt (Ser473) Antibody	20 ul	(H) (M) (Hm) (Dm) (B) (Dg) (Pg)	W F IP IF-IC
92803T	p16 INK4A (D3W8G) Rabbit mAb	20 ul	(H)	W IP
9281T	Phospho-p53 (Ser392) Antibody	20 ul	(H) (M) (Mi)	W
9282T	p53 Antibody	20 ul	(H) (Mk)	W IP ChIP
9284T	Phospho-p53 (Ser15) Antibody	20 ul	(H) (M) (Mk)	W IP ChIP
9285T	Phospho-p53 (Ser6) Antibody	20 ul	(H) (Mk)	W IP
9286T	Phospho-p53 (Ser15) (16G8) Mouse mAb	20 ul	(H)	W F IF-IC
9287T	Phospho-p53 (Ser20) Antibody	20 ul	(H) (Mk)	W
9288T	Phospho-p53 (Ser9) Antibody	20 ul	(H) (Mk)	W IP
9291T	Phospho-Bad (Ser112) Antibody	20 ul	(H) (M) (Mk)	W F IP E-P
9292T	Bad Antibody	20 ul	(H) (M) (Mk)	W IP
9296T	Phospho-Bad (Ser112) (7E11) Mouse mAb	20 ul	(H) (M) (Mk)	W
9297T	Phospho-Bad (Ser155) Antibody	20 ul	(M)	W
92998T	NKX3.1 (D6D2Z) XP Rabbit mAb	20 ul	(H)	IHC-P W
9301T	Phospho-Rb (Ser795) Antibody	20 ul	(H) (Mk)	W IP
93065T	MTSS1 (D2H4L) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IF-IC
9307T	Phospho-Rb (Ser780) Antibody	20 ul	(H) (Mk)	W IP
9308T	Phospho-Rb (Ser807/811) Antibody	20 ul	(H) (Mk)	W IP
9309T	Rb (4H1) Mouse mAb	20 ul	(H) (Mk) (B) (Pg)	IHC-P W F IP IF-IC ChIP
9313T	Rb (D20) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP ChIP
9316T	Phospho-GSK-3a (Ser21) (36E9) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W
9323T	Phospho-GSK-3B (Ser9) (5B3) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IF-IC
9346T	Phospho-p90RSK (Thr573) Antibody	20 ul	(H) (M)	W IF-IC
9349T	Perilipin-1 (D1D8) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W IP IF-IC IF-F
9355T	RSK1/RSK2/RSK3 (32D7) Rabbit mAb	20 ul	(H) (M) (Mk) (GP)	W IP IF-IC
9361T	Phospho-Stat6 (Tyr641) Antibody	20 ul	(H)	W IP IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
93668T	Arginase-1 (D4E3M(TM)) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC IF-F IHC-Bond
9367T	Rab7 (D95F2) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
9368T	PKCZ (C24E6) Rabbit mAb	20 ul	(H) (M) (Mk)	W
9371T	Phospho-PKC (pan) (BII Ser660) Antibody	20 ul	(H) (M) (Mk)	W
9374T	Phospho-PKcD (Thr505) Antibody	20 ul	(H) (M)	W
9375T	Phospho-PKCa/B II (Thr638/641) Antibody	20 ul	(H) (M) (Mk)	W
9376T	Phospho-PKcD/T (Ser643/676) Antibody	20 ul	(H) (M) (Mk) (X)	IHC-P W
9377T	Phospho-PKCT (Thr538) Antibody	20 ul	(H) (Mk)	W
9378T	Phospho-PKCZ/lambda (Thr410/403) Antibody	20 ul	(H) (M) (Mk)	W
9386T	Phospho-Threonine (42H4) Mouse mAb	20 ul	(All)	W IP E-P
94205T	Stat5 (D2O6Y) Rabbit mAb	20 ul	(H) (M)	W IP ChIP
9421T	Phospho-c-Raf (Ser259) Antibody	20 ul	(H) (M) (Mk) (X)	W IP
9422T	c-Raf Antibody	20 ul	(H) (M) (Mk)	W
9427T	Phospho-c-Raf (Ser338) (56A6) Rabbit mAb	20 ul	(H) (M) (Mk)	W
9429T	Cleaved Caspase-8 (Asp387) Antibody (Mouse Specific)	20 ul	(M)	W
9431T	Phospho-c-Raf (Ser289/296/301) Antibody	20 ul	(H) (M)	W
9433T	B-Raf (55C6) Rabbit mAb	20 ul	(H) (M) (Mk)	W
9449T	Ki-67 (8D5) Mouse mAb	20 ul	(H)	IHC-P F IF-IC
9451T	Phospho-4E-BP1 (Ser65) Antibody	20 ul	(H) (M) (Mk)	W IP
9461T	Phospho-FoxO1 (Ser256) Antibody	20 ul	(H) (M) (Mk)	W
9464T	Phospho-FoxO1 (Thr24)/FoxO3a (Thr32) Antibody	20 ul	(H) (M) (Mk)	W IP
9465T	Phospho-FoxO3a (Ser318/321) Antibody	20 ul	(H) (M) (Mk)	W IP
9472T	FoxO4 Antibody	20 ul	(H) (M) (Mk)	W
9475T	SirT1 (D1D7) Rabbit mAb	20 ul	(H) (M) (Mk)	W IF-IC
9485T	NDRG1 (D8G9) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W IP IF-IC
94871T	Adora2a/Adenosine Receptor A2a (E5I8X) XP Rabbit mAb (Rodent Specific)	20 ul	(M)	IHC-P IF-F
9491T	Cleaved Caspase-7 (Asp198) Antibody	20 ul	(H) (M) (Mk)	W IP
9492T	Caspase-7 Antibody	20 ul	(H) (M) (Mk)	W
9496T	Cleaved Caspase-8 (Asp391) (18C8) Rabbit mAb	20 ul	(H)	W
94994T	Phospho-Stat3 (Ser727) (D8C2Z) Rabbit mAb	20 ul	(H) (M)	W IP
9502T	Caspase-9 Antibody (Human Specific)	20 ul	(H)	W F
9504T	Caspase-9 Antibody (Mouse Specific)	20 ul	(M)	W
9505T	Cleaved Caspase-9 (Asp315) Antibody (Human Specific)	20 ul	(H)	W IP
9508T	Caspase-9 (C9) Mouse mAb	20 ul	(H) (M) (Hm) (Mk)	W
9509T	Cleaved Caspase-9 (Asp353) Antibody (Mouse Specific)	20 ul	(M)	W IF-IC
9516T	Phospho-Smad1/5 (Ser463/465) (41D10) Rabbit mAb	20 ul	(H) (M)	W F IF-IC
9517T	Smad5 Antibody	20 ul	(H) (Mk)	W
9520T	Phospho-Smad3 (Ser423/425) (C25A9) Rabbit mAb	20 ul	(H) (M)	W IP ChIP
9523T	Smad3 (C67H9) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP ChIP-seq

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
9527T	Phospho-cdc25C (Thr48) Antibody	20 ul	(H)	W
9532T	PARP (46D11) Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC
95333T	Nectin-2/CD112 (D8D3F) XP Rabbit mAb	20 ul	(H) (Mk)	IHC-P W
9535T	PDCD4 (D29C6) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IF-IC
9538T	Ribosomal Protein S3 (D50G7) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
9541T	Cleaved PARP (Asp214) Antibody (Human Specific)	20 ul	(H)	W
9542T	PARP Antibody	20 ul	(H) (M) (Mk)	W
9544T	Cleaved PARP (Asp214) Antibody (Mouse Specific)	20 ul	(M)	W
9545T	Cleaved PARP (Asp214) Antibody (Rat Specific)	20 ul		W
9546T	Cleaved PARP (Asp214) (19F4) Mouse mAb (Human Specific)	20 ul	(H)	W
9548T	Cleaved PARP (Asp214) (7C9) Mouse mAb (Mouse Specific)	20 ul	(M)	W
9549T	Phospho-PTEN (Ser380/Thr382/383) (44A7) Rabbit mAb	20 ul	(H) (M) (Mk)	W
9551T	Phospho-PTEN (Ser380) Antibody	20 ul	(H) (M)	W IP
9559T	PTEN (138G6) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP
9561T	Phospho-B-Catenin (Ser33/37/Thr41) Antibody	20 ul	(H) (M) (Mk)	W
9565T	Phospho-B-Catenin (Thr41/Ser45) Antibody	20 ul	(H) (M) (Mk)	W
9579T	Cleaved Caspase-3 (Asp175) (D3E9) Rabbit mAb	20 ul	(H) (M)	IHC-P F IF-IC
9582T	B-Catenin (6B3) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W IP IHC-F
9585T	Slug (C19G7) Rabbit mAb	20 ul	(H) (M)	W F IP IF-IC
9587T	B-Catenin Antibody (Carboxy-terminal Antigen)	20 ul	(H) (M) (Mk)	IHC-P W IP ChIP
9595T	Phospho-MSK1 (Thr581) Antibody	20 ul	(H) (M)	IHC-P W IP
9616T	PKCd (D10E2) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
96282T	CD151 (E4I9J) XP Rabbit mAb	20 ul	(H)	IHC-P W
96397T	FcyRIIB (D8F9C) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	IHC-P W F IP IHC-Bond
9644T	4E-BP1 (53H11) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
96457T	MOG (E5K6T) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W
9649T	Acetyl-Histone H3 (Lys9) (C5B11) Rabbit mAb	20 ul	(H) (M) (Mk) (Z)	IHC-P W F IP IF-IC ChIP ChIP-seq C&R
9661T	Cleaved Caspase-3 (Asp175) Antibody	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
9664T	Cleaved Caspase-3 (Asp175) (5A1E) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
9668T	Caspase-3 (3G2) Mouse mAb	20 ul	(H)	W
9675T	Acetyl-Histone H3 (Lys18) Antibody	20 ul	(H) (M)	IHC-P W ChIP
9709T	Phospho-HSP27 (Ser82) (D1H2F6) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IF-IC
9713T	Phospho-Histone H3 (Ser28) Antibody	20 ul	(H) (M) (Hm) (Dm)	W F IP IF-IC IF-F
9714T	Phospho-Histone H3 (Thr3) Antibody	20 ul	(H) (M)	IHC-P W
97166T	GAPDH (D4C6R) Mouse mAb	20 ul	(H) (M) (Mk)	W
9718T	Phospho-Histone H2A.X (Ser139) (20E3) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC

Kat.szám	Termék	Kiszerezés	Faj reaktivitás	Felhasználási terület
9725T	Di-Methyl-Histone H3 (Lys4) (C64G9) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC ChIP
9728T	Di-Methyl-Histone H3 (Lys27) (D18C8) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC ChIP
9733T	Tri-Methyl-Histone H3 (Lys27) (C36B11) Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IF-IC ChIP ChIP-seq C&R
9734T	SMYD2 (D14H7) Rabbit mAb	20 ul	(H) (M) (Mk)	W IP
9740T	FGF Receptor 1 (D8E4) XP Rabbit mAb	20 ul	(H) (M) (Mk)	IHC-P W F IP IF-IC
9741T	Phospho-eIF4E (Ser209) Antibody	20 ul	(H) (M) (Mk)	W
97438T	Tissue Factor/CD142 (E9M6T) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
9746T	Caspase-8 (1C12) Mouse mAb	20 ul	(H)	W IP
9748T	Cleaved Caspase-8 (Asp384) (11G10) Mouse mAb	20 ul	(H)	W
9750T	IGF-I Receptor B (D23H3) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W F IP IF-IC
9751T	Tri-Methyl-Histone H3 (Lys4) (C42D8) Rabbit mAb	20 ul	(H) (M) (Mk) (Dm) (Sc)	IHC-P W F IF-IC ChIP ChIP-seq C&R
9761T	Cleaved Caspase-6 (Asp162) Antibody	20 ul	(H) (M)	W
9762T	Caspase-6 Antibody	20 ul	(H) (M)	W
97971T	HLA-DRA (E9R2Q) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
98035T	CD22 (E7L6Z) XP Rabbit mAb	20 ul	(H)	IHC-P W IHC-Bond
98116T	MTHFD2 (E7A4L) XP Rabbit mAb	20 ul	(H)	W IF-IC
9877T	DDX5 (D15E10) XP Rabbit mAb	20 ul	(H) (M) (Mk)	W IP IF-IC
98941T	CD8a (D4W2Z) XP Rabbit mAb (Mouse Specific)	20 ul	(M)	IHC-P W IHC-Bond
99567T	TIGIT (E5Y1W) XP Rabbit mAb	20 ul	(H)	IHC-P W IP IF-IC
99746T	NCAM1 (CD56) (E7X9M) XP Rabbit mAb	20 ul	(H) (M)	IHC-P W F IP IF-IC IF-F IHC-Bond
9979T	Presenilin 2 (D30G3) Rabbit mAb	20 ul	(H) (M)	W IP
99940T	CD3E (D4V8L) Rabbit mAb	20 ul	(M)	IHC-P W IHC-Bond
99966T	Mesothelin (D9R5G) XP Rabbit mAb	20 ul	(H)	IHC-P W